PRODUCT INFORMATION PACKET



Model No: 100LTFH4544 Catalog No: 100LTFH4544 3,1800,TEFC,100L,3/60/230/460





Nameplate Specifications

3	Output HP	3 Hp
2.2 kW	Voltage	230/460 V
1745 rpm	Service Factor	1.15
100L	Enclosure	Totally Enclosed Fan Cooled
No Protection	Efficiency	87.5 %
40 °C	Frequency	60 Hz
7.8/3.9 A	Power Factor	80.5
Continuous	Insulation Class	F
В	KVA Code	J
6206	Opp Drive End Bearing Size	6206
No	CSA	N
Υ	IP Code	43
1		
	2.2 kW 1745 rpm 100L No Protection 40 °C 7.8/3.9 A Continuous B 6206 No	2.2 kW Voltage 1745 rpm Service Factor 100L Enclosure No Protection Efficiency 40 °C Frequency 7.8/3.9 A Power Factor Continuous Insulation Class B KVA Code 6206 Opp Drive End Bearing Size No CSA

Technical Specifications

Electrical Type	Squirrel Cage Inverter Rated	Starting Method	Line Or Inverter
Poles	4	Rotation	Reversible
Resistance Main	6.34 Ohms	Mounting	Rigid Base
Motor Orientation	Horizontal	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Aluminum
Shaft Type	IEC	Assembly/Box Mounting	F1/F2 CAPABLE
Outline Drawing	B-SS620360	Connection Drawing	A-EE7308

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:09/07/2024



