
PRODUCT INFORMATION PACKET

Model No: 132166.00 Catalog No: 132166.00 ...3HP..1740RPM.112M.IP54./V.3PH.60HZ.CONT.40C..SPECIAL.C184T17FZ30B......NOT......





Product Information Packet: Model No: 132166.00, Catalog No:132166.00 ...3HP..1740RPM.112M.IP54./V.3PH.60HZ.CONT.40C..SPECIAL.C184T17FZ30B......NOT......


Nameplate Specifications

Output HP	3 Нр	Output KW	2.2 kW
Frequency	60 Hz	Voltage	230/460 V
Current	8.6/4.3 A	Speed	1760 rpm
Service Factor	1.15	Phase	3
Efficiency	87.5 %	Power Factor	74
Duty	Continuous	Insulation Class	F
Design Code	INV	KVA Code	к
Frame	112M	Enclosure	Totally Enclosed Fan Cooled
Thermal Protection	No Protection	Ambient Temperature	40 °C
Drive End Bearing Size	6206	Opp Drive End Bearing Size	6205
UL	Recognized	CSA	Y
CE	Ν	IP Code	54
Number of Speeds	1		

Technical Specifications

Electrical Type	Squirrel Cage Inverter Duty	Starting Method	Inverter Only
Poles	4	Rotation	Reversible
Resistance Main	4.4 Ohms	Mounting	Round
Motor Orientation	Horizontal	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Rolled Steel
Shaft Type	IEC	Shaft Diameter	1.102 in
Assembly/Box Mounting	F1 ONLY	Inverter Load	CONSTANT 10:1
Connection Drawing	005010.01	Outline Drawing	OL132166

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:11/01/2022



Uncontrolled Copy

