## **PRODUCT INFORMATION PACKET**

Model No: 132190.00 Catalog No: 132190.00 ...3HP..800RPM.184.TEFC./V.3PH.60HZ..40C..C FACE.C184T8NC2B......NOT......

> Regal and are trademarks of Regal Rexnord Corporation or one of its affiliated companies. ©2022 Regal Rexnord Corporation, All Rights Reserved. MC017097E



## Product Information Packet: Model No: 132190.00, Catalog No:132190.00 ..3HP..800RPM.184.TEFC./V.3PH.60HZ..40C..C FACE.C184T8NC2B......NOT......

## Nameplate Specifications


Output HP	3 Нр	Output KW	2.2 kW
Frequency	60 Hz	Voltage	460 V
Current	6.0 A	Speed	800 rpm
Service Factor	1	Phase	3
Duty	Continuous	Insulation Class	н
Design Code	D	KVA Code	F
Frame	184TC	Enclosure	Totally Enclosed Fan Cooled
Thermal Protection	No Protection	Ambient Temperature	40 °C
Drive End Bearing Size	6206	Opp Drive End Bearing Size	6205
UL	Recognized	CSA	Y
CE	Ν	IP Code	43
Number of Speeds	4		

## **Technical Specifications**

Electrical Type	Squirrel Cage Induction Run	Starting Method	Across The Line	
Poles	8	Rotation	Reversible	
Resistance Main	4.64 Ohms	Mounting	Round	
Motor Orientation	Horizontal	Drive End Bearing	Ball	
Opp Drive End Bearing	Ball	Frame Material	Rolled Steel	
Shaft Type	т	Shaft Diameter	1.125 in	
Assembly/Box Mounting	F1 ONLY			
Connection Drawing	005102.01	Outline Drawing	OL132190	

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:11/01/2022





Uncontrolled Copy

											0510	02-01
	VIEW FROM OUTSIDE OF MOTOR A	AT SWITCH ENI	D.					L	NE LEAD	)S		
						-				-		
					——————————————————————————————————————	2	Т3		TI		L_	T2
						-						
									LEADS AS CONDUCTOR			
							CORD				) ( ) 3	(GREEN)
						-		FOR FOUR	CONDUCTOR	CORD	) () 3 .СК)	(GREEN) GROUND
					ERANCES S SPECIFIED			FOR FOUR L1 (RED) T1	CONDUCTOR L2 (WHITE) T2	CORD	3 ( ) 3 (CK) 3 (CK) 3 (CK)	
				DEC.	INCHES	REGA		FOR FOUR L1 (RED) T1	CONDUCTOR L2 (WHITE)	CORD	3 .CK) 3 RAWN нк	GROUND JRW 9/11/75
				DEC. .X	INCHES ±.1	REGA	CORD MOTOR	FOR FOUR L1 (RED) T1 Al Beloit A	CONDUCTOR L2 (WHITE) T2 <b>Merica, I</b>	CORD	3 CK) 3 RAWN HK PPD J	GROUND JRW 9/11/75 CW 9/11/75
	UPDATED TO REGAL LOGO	SAJ 06/26/15		DEC. .X .XX	INCHES ±.1 ±.01		CORD MOTOR <b>Rega</b> EXTERNA	FOR FOUR L1 (RED) T1 Al Beloit A L WIRING D	CONDUCTOR L2 (WHITE) T2 <b>Merica, I</b>	CORD	3 ( ) 3 (CK) 3 (CK) 3 (CK) 3 (CK) 4 (CK)	GROUND JRW 9/11/75 CW 9/11/75 1=1
07	UPDATED TO CURRENT STANDARDS	DBT 5/30/97		DEC. .X .XX .XX	INCHES ±.1 ±.01 ±.005	REGAL	CORD MOTOR MOTOR <b>Rega</b> EXTERNA TYPE "T	FOR FOUR L1 (RED) T1 A Beloit A L WIRING D ' W/O PRO	CONDUCTOR L2 (WHITE) T2 Merica, I IAGRAM TECTOR	CORD	) ( ) 3 CK) 3 RAWN HK PPD J CALE EF W	GROUND JRW 9/11/75 ICW 9/11/75 1=1 V-T6343-6
07 06	UPDATED TO CURRENT STANDARDS REDRAWN ON CAD; ADDED DECAL NUMBER	DBT 5/30/97 SAW 1/24/95		DEC. .X .XX .XXX .XXX	INCHES ±.1 ±.01 ±.005 ±.0005	REGAI	CORD MOTOR MOTOR <b>Rega</b> EXTERNA TYPE "T	FOR FOUR L1 (RED) T1 Al Beloit A L WIRING D	CONDUCTOR L2 (WHITE) T2 Merica, I IAGRAM TECTOR	CORD	) ( ) 3 CK) 3 RAWN HK PPD J CALE EF W MF	GROUND JRW 9/11/75 CW 9/11/75 1=1
07 06 N0.	UPDATED TO CURRENT STANDARDS	DBT 5/30/97 SAW 1/24/95 BY & DATE		DEC. .X .XX .XXX .XXX .XXX ANG	INCHES ±.1 ±.01 ±.005 ±.0005 ±1/2*	REGAL	CORD MOTOR MOTOR <b>Rega</b> EXTERNA TYPE "T	FOR FOUR L1 (RED) T1 A Beloit A L WIRING D ' W/O PRO CAL - 00416	CONDUCTOR L2 (WHITE) T2 Merica, I IAGRAM TECTOR	CORD (BLA T3 Inc. S R R F P	) ( ) 3 CK) 3 RAWN HK PPD J CALE EF W	GROUND JRW 9/11/75 ICW 9/11/75 1=1 V-T6343-6