PRODUCT INFORMATION PACKET

Model No: 132580.00 Catalog No: 132580.00

132580.00..7.5HP..3505RPM.184TDZ.DP.200V.3PH.60HZ.CONT.40C.1.15SF.ROUND......



Nameplate Specifications

Output HP	7.50 Hp	Output KW	5.6 kW	
Frequency	60 Hz	Voltage	200 V	
Current	20.5 A	Speed	3490 rpm	
Service Factor	1.15	Phase	3	
Efficiency	88.5 %	Power Factor	89	
Duty	Continuous	Insulation Class	F	
Design Code	Α	KVA Code	J	
Frame	184TDZ	Enclosure	Drip Proof	
Thermal Protection	No Protection	Ambient Temperature	40 °C	
Drive End Bearing Size	6207	Opp Drive End Bearing Size	6205	
UL	Recognized	CSA	Υ	
CE	N	IP Code	22	
Number of Speeds	1			

Technical Specifications

Electrical Type	Squirrel Cage Induction Run	Starting Method	Across The Line
Poles	2	Rotation	Reversible
Resistance Main	0 Ohms	Mounting	Round
Motor Orientation	Horizontal	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Rolled Steel
Shaft Type	Single Special Extension	Shaft Diameter	1.000 in
Assembly/Box Mounting	F1/F2 CAPABLE		
Outline Drawing	036103.00	Connection Drawing	005102.01

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:11/10/2022

Uncontrolled Copy

