
PRODUCT INFORMATION PACKET

Model No: 132598.00 Catalog No: 132598.00 132598.00..2/1.5HP..1170/960RPM.182TCFC.TENV.208-230/460//190-200/380-400V.3PH.60/50HZ.60MIN.40C.1. 15SF.ROUND.....





LEESON





Product Information Packet: Model No: 132598.00, Catalog No:132598.00 132598.00..2/1.5HP..1170/960RPM.182TCFC.TENV.208-230/460//190-200/380-400V.3PH.60/50HZ.60MIN.40C.1.15SF.ROUND.....

LEESON

Nameplate Specifications


Phase	3	Output HP	2 & 1.50 Hp
Output KW	1.5 & 1.1 kW	Voltage	208-230/460 & 200/400 V
Speed	1170 & 960 rpm	Service Factor	1.15 & 1.15
Frame	182TC	Enclosure	Totally Enclosed Non Ventilated
Thermal Protection	Automatic	Efficiency	80 & 80 %
Ambient Temperature	40 °C	Frequency	60 & 50 Hz
Current	8-7.2/3.6 & 12/6 A	Power Factor	65.7
Duty	60 Minute	Insulation Class	н
Design Code	В	KVA Code	L
Drive End Bearing Size	6206	Opp Drive End Bearing Size	6205
UL	Recognized	CSA	Y
CE	N	IP Code	43
Number of Speeds	1		

Technical Specifications

Electrical Type	Squirrel Cage Induction Run	Starting Method	Across The Line	
Poles	6	Rotation	Reversible	
Resistance Main	0 Ohms	Mounting	Rigid Base	
Motor Orientation	Horizontal	Drive End Bearing	Ball	
Opp Drive End Bearing	Ball	Frame Material	Rolled Steel	
Shaft Type	т	Assembly/Box Mounting	F1/F2 CAPABLE	
Outline Drawing	036240-900	Connection Drawing	005020.02	

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:06/23/2023

Uncontrolled Copy



					LINE LEADS								
	VIEW FROM OUTSIDE OF MOTOR AT S			- T' - T' - T'	2			P6		T7 { { { { { { { { { { { { { { { { { { {		24,	
				— P	5 6 7 8		T9	T3	6 P3 3 T12 T6	10 10 10 10 10 10 10 10 10 10 10 10 10 1	4	r5 1 T 7 78	2
							VOLTAGE	L1	L2	L3	JOIN	SEPAR	RATE
	RBC PROPRIETARY AND CONFIDENTIAL INFORMATION nt is the property of REGAL BELOIT CORPORATION ("RBC") including es and divisions and contains proprietary information of RBC. This document						HIGH	T1	T2	Т3	(T4,T7) (T5,T8) (T6,T9)	(P4) ((P6	
be disclosed shall be used returned to R	the express condition that neither it nor the information contained therein shall to others without the express written consent of RBC, and that the information by the recipient only as approved expressly by RBC. This document shall be RBC upon its request. This document may be subject to certain restrictions xport control laws and regulations.						LOW	T1,T7	T2,T8	T3,T9	(T4,P4) (T5,P5) (T6,P6)		
				TO UNLE: DEC .X	LERANCES SS SPECIFIED INCHES ±.1			SON	ELECTRIC GEARMO AND D	DTORS	CHK APPR	UJB 02/18	8/11
				.XX	±.01	TITLE	E EXTERNAL W	/IRING DIAGI	RAM		SCALE	1:1	
				.xxx	±.005		TYPE "T" W/P				REF		
02 ADD	ED REV TO AGREE WITH ORACLE	ARV 4/26/2011	КН		±.0005	MAT'	"L DECAL - 0040				FMF		
NO	REVISION	BY & DATE	СНК			FINIS					PAGE	OF	
	THIRD ANGLE		RFP			PRE	V			SIZE D	RAWING NO		REV
	PROJECTION			ORK FI	LE NAME 0	0502(A	00502)-02	02

4/26/2011 5:07:39 PM