
## **PRODUCT INFORMATION PACKET**



Model No: 141170.00 Catalog No: 141170.00 141170.00..7.5HP..3600RPM.213TZ.TEFC.208-230/460VAC.3PH.60HZ.CONT.40C.1.15 SF.2-Bolt SAE A.C213T34F Z2.....NONE......





## Product Information Packet: Model No: 141170.00, Catalog No:141170.00 141170.00..7.5HP..3600RPM.213TZ.TEFC.208-230/460VAC.3PH.60HZ.CONT.40C.1.15 SF.2-Bolt SAE A.C213T34FZ2.....NONE......




## Nameplate Specifications

Phase	3	Output HP	7.50 & 5 Hp
Output KW	5.6 & 3.7 kW	Voltage	208-230/460 & 190/380 V
Speed	3530 & 2940 rpm	Service Factor	1.15 & 1.15
Frame	213TZ	Enclosure	Totally Enclosed Fan Cooled
Thermal Protection	No Protection	Efficiency	88.5 & 89.5 %
Ambient Temperature	40 °C	Frequency	60 & 50 Hz
Current	20.1-18.4/9.2 & 15/7.5 A	Power Factor	85.5
Duty	Continuous	Insulation Class	F
Design Code	В	KVA Code	G
Drive End Bearing Size	6309	Opp Drive End Bearing Size	6206
UL	Recognized	CSA	Y
CE	N	IP Code	43
Number of Speeds	1		

## **Technical Specifications**

Electrical Type	Squirrel Cage Inverter Rated	Starting Method	Line Or Inverter	
Poles	2	Rotation	Reversible	
Resistance Main	1.45 Ohms	Mounting	Rigid Base	
Motor Orientation	Horizontal	Drive End Bearing	Ball	
Opp Drive End Bearing	Ball	Frame Material	Rolled Steel	
Shaft Type	Single Special Extension	Assembly/Box Mounting	F1 ONLY	
Inverter Load	CONSTANT 10:1			
Outline Drawing	609-0004-000	Connection Drawing	A-EE7308-LE	

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:06/23/2023



3 of 4

