PRODUCT INFORMATION PACKET

Model No: 171624.00 Catalog No: 171624.00 3 HP General Purpose Motor, 3 phase, 3600 RPM, 575 V, 182T Frame, TEFC General Purpose Motors



Regal and Leeson are trademarks of Regal Rexnord Corporation or one of its affiliated companies. ©2021 Regal Rexnord Corporation, All Rights Reserved. MC017097E





Product Information Packet: Model No: 171624.00, Catalog No:171624.00 3 HP General Purpose Motor, 3 phase, 3600 RPM, 575 V, 182T Frame, TEFC




Nameplate Specifications

Output HP	3 Нр	Output KW	2.2 kW
Frequency	60 Hz	Voltage	575 V
Current	3.0 A	Speed	3520 rpm
Service Factor	1.15	Phase	3
Efficiency	87.5 %	Power Factor	87
Duty	Continuous	Insulation Class	F
Design Code	В	KVA Code	J
Frame	182T	Enclosure	Totally Enclosed Fan Cooled
Thermal Protection	No	Ambient Temperature	40 °C
Drive End Bearing Size	6206	Opp Drive End Bearing Size	6205
UL	Recognized	CSA	Y
CE	Y	IP Code	43
Number of Speeds	1		

Technical Specifications

Electrical Type	Squirrel Cage Induction Run	Starting Method	Across The Line	
Poles	2	Rotation	Reversible	
Resistance Main	3.56 Ohms	Mounting	Rigid Base	
Motor Orientation	Horizontal	Drive End Bearing	Ball	
Opp Drive End Bearing	Ball	Frame Material	Cast Iron	
Shaft Type	т	Overall Length	16.14 in	
Shaft Diameter	1.125 in	Shaft Extension	2.75 in	
Assembly/Box Mounting	F1/F2 CAPABLE			
Connection Drawing	005102.01	Outline Drawing	B-SS622136LE	

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:10/07/2021



DIST WA

В

SS622136LE

Uncontrolled Copy

											0510	02-01
	VIEW FROM OUTSIDE OF MOTOR A	AT SWITCH ENI	D.					L	NE LEAD)S		
						-				-		
					—— T1 —— T2 —— T3	2	Т3		TI		L_	T2
						-						
									LEADS AS CONDUCTOR			
							CORD) () 3	(GREEN)
						-		FOR FOUR	CONDUCTOR	CORD) () 3 .СК)	(GREEN) GROUND
					ERANCES S SPECIFIED			FOR FOUR L1 (RED) T1	CONDUCTOR L2 (WHITE) T2	CORD	3 () 3 (CK) 3 (CK) 3 (CK)	
				DEC.	INCHES	REGA		FOR FOUR L1 (RED) T1	CONDUCTOR L2 (WHITE)	CORD	3 .CK) 3 RAWN нк	GROUND JRW 9/11/75
				DEC. .X	INCHES ±.1	REGA	CORD MOTOR	FOR FOUR L1 (RED) T1 Al Beloit A	CONDUCTOR L2 (WHITE) T2 Merica, I	CORD	3 CK) 3 RAWN HK PPD J	GROUND JRW 9/11/75 CW 9/11/75
	UPDATED TO REGAL LOGO	SAJ 06/26/15		DEC. .X .XX	INCHES ±.1 ±.01		CORD MOTOR Rega EXTERNA	FOR FOUR L1 (RED) T1 Al Beloit A	CONDUCTOR L2 (WHITE) T2 Merica, I	CORD	3 () 3 (CK) 3 (CK) 3 (CK) 3 (CK) 4 (CK)	GROUND JRW 9/11/75 CW 9/11/75 1=1
07	UPDATED TO CURRENT STANDARDS	DBT 5/30/97		DEC. .X .XX .XX	INCHES ±.1 ±.01 ±.005	REGAL	CORD MOTOR MOTOR Rega EXTERNA TYPE "T	FOR FOUR L1 (RED) T1 A Beloit A L WIRING D ' W/O PRO	CONDUCTOR L2 (WHITE) T2 Merica, I IAGRAM TECTOR	CORD) () 3 CK) 3 RAWN HK PPD J CALE EF W	GROUND JRW 9/11/75 ICW 9/11/75 1=1 V-T6343-6
07 06	UPDATED TO CURRENT STANDARDS REDRAWN ON CAD; ADDED DECAL NUMBER	DBT 5/30/97 SAW 1/24/95		DEC. .X .XX .XXX .XXX	INCHES ±.1 ±.01 ±.005 ±.0005	REGAI	CORD MOTOR MOTOR Rega EXTERNA TYPE "T	FOR FOUR L1 (RED) T1 Al Beloit A	CONDUCTOR L2 (WHITE) T2 Merica, I IAGRAM TECTOR	CORD) () 3 CK) 3 RAWN HK PPD J CALE EF W MF	GROUND JRW 9/11/75 CW 9/11/75 1=1
07 06 N0.	UPDATED TO CURRENT STANDARDS	DBT 5/30/97 SAW 1/24/95 BY & DATE		DEC. .X .XX .XXX .XXX .XXX ANG	INCHES ±.1 ±.01 ±.005 ±.0005 ±1/2*	REGAL	CORD MOTOR MOTOR Rega EXTERNA TYPE "T	FOR FOUR L1 (RED) T1 A Beloit A L WIRING D ' W/O PRO CAL - 00416	CONDUCTOR L2 (WHITE) T2 Merica, I IAGRAM TECTOR	CORD (BLA T3 Inc. S R R F P) () 3 CK) 3 RAWN HK PPD J CALE EF W	GROUND JRW 9/11/75 ICW 9/11/75 1=1 V-T6343-6