PRODUCT INFORMATION PACKET



Model No: 182TTDR8724
Catalog No: M803
5 HP Vertical Pump Motor, 3 phase, 3600 RPM, 230/460 V, 182HPV Frame, ODP
Vertical Pump Motors





Nameplate Specifications

Output HP	5 Hp	Output KW	3.7 kW	
Frequency	60 Hz	Voltage	230/460 V	
Current	14.0/7.0 A	Speed	3450 rpm	
Service Factor	1.15	Phase	3	
Efficiency	82.5 %	Power Factor	81.9	
Duty	Continuous	Insulation Class	В	
Design Code	В	KVA Code	Н	
Frame	182HPV	Enclosure	Drip Proof	
Thermal Protection	No	Ambient Temperature	40 °C	
Drive End Bearing Size	6207	Opp Drive End Bearing Size	6205	
UL	Recognized	CSA	Υ	
CE	Υ	IP Code	22	
Number of Speeds	1			

Technical Specifications

Electrical Type	Squirrel Cage Induction Run	Starting Method	Across The Line
Poles	2	Rotation	Reversible
Resistance Main	4.56 Ohms	Mounting	Round
Motor Orientation	Shaft Down	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Rolled Steel
Shaft Type	HP	Overall Length	15.68 in
Frame Length	5.75 in	Shaft Diameter	1.125 in
Shaft Extension	2.75 in	Assembly/Box Mounting	F1/F2 CAPABLE
Outline Drawing	B-SS63891-575	Connection Drawing	A-EE7308

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:10/12/2021



