PRODUCT INFORMATION PACKET

Model No: 184TTDBD6089
Catalog No: GT0808
General Purpose Motors, Drip Proof, 2 HP, 3 Ph, 60 Hz, 200 V, 1175 RPM, 184T



FRegalRexnord

Regal and are trademarks of Regal Rexnord Corporation or one of its affiliated companies.

©2022 Regal Rexnord Corporation, All Rights Reserved. MC017097E

Product Information Packet: Model No: 184TTDBD6089, Catalog No:GT0808 General Purpose Motors, Drip Proof, 2 HP, 3 Ph, 60 Hz, 200 V, 1175 RPM, 184T

Nameplate Specifications

Output HP	2 Hp	Output KW	1.5 kW	
Frequency	60 Hz	Voltage	200 V	
Current	6.9 A	Speed	1175 rpm	
Service Factor	1.15	Phase	3	
Efficiency	87.5 %	Power Factor	70	
Duty	Continuous	Insulation Class	F	
Design Code	В	KVA Code	L	
Frame	184T	Enclosure	Drip Proof	
Thermal Protection	No	Ambient Temperature	40 °C	
Drive End Bearing Size	6206	Opp Drive End Bearing Size	6203	
UL	Recognized	CSA	Υ	
CE	Υ	IP Code	22	
Number of Speeds	1			
			·	

Technical Specifications

Electrical Type	Squirrel Cage Inverter Rated	Starting Method	Line Or Inverter
Poles	6	Rotation	Reversible
Resistance Main	5.9 Ohms	Mounting	Rigid Base
Motor Orientation	Horizontal	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Rolled Steel
Shaft Type	Т	Shaft Diameter	1.125 in
Assembly/Box Mounting	F1/F2 CAPABLE	Inverter Load	CONSTANT 2:1/VARIABLE 10:1
Connection Drawing	EE7300	Outline Drawing	SS600198-200

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:05/06/2022



