PRODUCT INFORMATION PACKET



Model No: 192020.30 Catalog No: 192020.30

Obsolete Replaced by 192020.00..1/3HP-0.25kW..3600RPM.D63.TEFC.230/460V.3PH.60HZ.CONT.40C..B3......

.....






Nameplate Specifications


| Output HP | 0.33 Hp | Output KW | 0.25 kW |
|------------------------|----------------|----------------------------|-----------------------------|
| Frequency | 60 Hz | Voltage | 230/460 V |
| Current | 1.2/0.60 A | Speed | 3355 rpm |
| Service Factor | 1.15 | Phase | 3 |
| Efficiency | 72 % | Power Factor | 70 |
| Duty | Continuous | Insulation Class | F |
| Design Code | NO DESIGN CODE | KVA Code | Н |
| Frame | D63 | Enclosure | Totally Enclosed Fan Cooled |
| Thermal Protection | No Protection | Ambient Temperature | 40 °C |
| Drive End Bearing Size | 6201 | Opp Drive End Bearing Size | 6201 |
| UL | Recognized | CSA | Υ |
| CE | Υ | IP Code | 55 |
| Number of Speeds | 1 | | |

Technical Specifications

| Electrical Type | Squirrel Cage Inverter Rated | Starting Method | Line Or Inverter |
|-----------------------|------------------------------|-----------------------|------------------|
| Poles | 2 | Rotation | Reversible |
| Resistance Main | 15.4 Ohms | Mounting | В3 |
| Motor Orientation | Horizontal Or Up Or Down | Drive End Bearing | Ball |
| Opp Drive End Bearing | Ball | Frame Material | Aluminum |
| Shaft Type | IEC | Assembly/Box Mounting | F3 |
| Inverter Load | CONSTANT 20:1 | | |
| Outline Drawing | OL19202030 | Connection Drawing | 00546505 |

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:03/30/2023





| | | | | UNLES | LERANCES S SPECIFIE | *************************************** | | | DRAWN | |
|--|----------|--------------|-----|-------|------------------------|---|------|----|-------|--|
| | | | | DEC. | | R E G A L REGAL-BELOIT CORPORATION | | ON | CHK | |
| | | | | .x | ±.1 | | | | APPD | |
| | | | | .xx | ±.03 | TITLE 230V / 460V connection drawing | | | SCALE | |
| | | | | жхх | ±.005 | YY/Y - | | | REF | |
| | | | | .xxx | ±.0005 | MAT'L. | | | FMF | |
| ND. | REVISION | BY & DATE | CHK | ANG | ±1/2 | FINISH | | | PREV | |
| THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT | | RFP CAD FILE | | SIZE | DRAWING NO | 3. | REV. | | | |
| IN CONNECTION VITH OUR VORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT | | TZIG | | | 1 B I | | | | | |



EC Declaration of Conformity

The undersigned representing the manufacturer:

Regal Beloit America 100 East Randolph St. Wausau, WI 54401 and the authorized representative established within the Community:

Marathon Electric UK 6F Thistleton Road Ind. Estate Market Overton Oakham, Rutland LE15 7PP UK

are committed to providing customers with products that comply with applicable regulations and international protocols to which they are subject, including the requirements of the European Parliament Directive on the Harmonization of the laws relating to electrical equipment designed for use within certain voltage limits (2014/35/EU).

Regal Beloit America declares that the following product(s), to which this declaration relates, are in conformity with the relevant sections of the EC standards listed below.

This statement supersedes any statements previously issued pertaining to the product(s) listed below and is subject to change without notice.

Model No: 192020.30

(Model No. may contain prefix and/or suffix characters)

Catalog No: 192020.30

Rework No: N/A

Directives:

Low Voltage Directive 2014/35/EU

Harmonized Standards Used:

EN 60034-1: 2010 (IEC 60034-1: 2010)

Michael A Logsdon

EN 60034-5: 2001/A1:2007 (IEC 60034-5: 2000/A1:2006)

Authorized Representative:

<u>Authorized Representative in the Community:</u>

J. cerse

Michael A. Logsdon Vice President, Technology

Created on 09/01/2022

Julian Clark Marketing Engineer

(€ 22