
PRODUCT INFORMATION PACKET



Model No: 192051.30 Catalog No: 192051.30 DBSOLETE REPLACED BY 192241.00..1HP-0.75kW..1800RPM.D80.TEFC.230/460V.3PH.60HZ.CONT.40C..B3......

.....





Product Information Packet: Model No: 192051.30, Catalog No:192051.30 OBSOLETE REPLACED BY 192241.00..1HP-0.75kW..1800RPM.D80.TEFC.230/460V.3PH.60HZ.CONT.40C..B3.....



Nameplate Specifications


Phase	3	Output HP	1 & 1 Hp		
Output KW	0.75 & 0.75 kW	Voltage	230/460 & 200/400 V		
Speed	1715 & 1405 rpm	Service Factor	1.15 & 1.0		
Frame	D80	Enclosure	Totally Enclosed Fan Cooled		
Thermal Protection	No Protection	Efficiency	80 & 74 %		
Ambient Temperature	40 °C	Frequency	60 & 50 Hz		
Current	3.2/1.6 & 3.8/1.9 A	Power Factor	73		
Duty	Continuous	Insulation Class	F		
Design Code	NO DESIGN CODE	KVA Code	н		
Drive End Bearing Size	6204	Opp Drive End Bearing Size	6204		
UL	Recognized	CSA	Y		
CE	Y		55		
Number of Speeds	1				


Technical Specifications

Electrical Type	Squirrel Cage Inverter Rated	Starting Method	Line Or Inverter	
Poles	4	Rotation	Reversible	
Resistance Main	5.5 Ohms	Mounting	B3	
Motor Orientation	Horizontal Or Up Or Down	Drive End Bearing	Ball	
Opp Drive End Bearing	Ball	Frame Material	Aluminum	
Shaft Type	IEC	Assembly/Box Mounting	F3	
Shart Type		Assembly/Box Mounting	ГЭ	
Inverter Load	CONSTANT 10:1		F3	

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:06/22/2023


Uncontrolled Copy





Bases are removable and able to mount in all locations - 6:00, 9:00, 3:00.

				INLES	ERANCES S SPECIFIE				DRAWN	
				DEC.	INCHES	REGAL F	REGAL-BELOIT C	ORPORATION	СНК	
				¥	±.1				APPD	
				XX	±.03	TITLE DUTLINE	DMA2-80 B	3	SCALE	
				XXX	±.005				REF	
				XXXX	±.0005	MAT'L.			FMF	
ND.	REVISION	BY & DATE	CHIK	ANG	±1/2	FINISH			PREV	
Th	THIS DRAVING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT In connection with our work all rights of design and invention are reserved		RFP			CAD FILE		SIZE DRAWING NO	r	REV.
	THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT							В		



				UNLES	ERANCES S SPECIFIE		DRAWN
				DEC.	INCHES	REGAL REGAL-BELOIT CORPOR	ATION CHK
				.x.	±.1		APPD
				.XX.	±.03	TITLE 230V/460V connection drawing	SCALE
				.XXX	±.005	YY/Y	REF
				.XXXX	±.0005	MAT'L.	FNF
ND.	REVISION	BY & DATE	CHIK	ANG	±1/2	FINISH	PREV
THIS DRAVING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT In connection with our work all rights of design and invention are reserved		RFP			CAD FILE SI	ZE DRAWING NO. REV	
1	THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT					Ē	3



EC Declaration of Conformity

The undersigned representing the manufacturer:

Regal Beloit America 100 East Randolph St. Wausau, WI 54401 and the authorized representative established within the Community:

Marathon Electric UK 6F Thistleton Road Ind. Estate Market Overton Oakham, Rutland LE15 7PP UK

are committed to providing customers with products that comply with applicable regulations and international protocols to which they are subject, including the requirements of the European Parliament Directive on the Harmonization of the laws relating to electrical equipment designed for use within certain voltage limits (2014/35/EU).

Regal Beloit America declares that the following product(s), to which this declaration relates, are in conformity with the relevant sections of the EC standards listed below.

This statement supersedes any statements previously issued pertaining to the product(s) listed below and is subject to change without notice.

Model No : 192051.30

(Model No. may contain prefix and/or suffix characters)

Catalog No : 192051.30

Rework No : N/A

Directives :

Low Voltage Directive 2014/35/EU

Harmonized Standards Used :

EN 60034-1: 2010 (IEC 60034-1: 2010) EN 60034-5: 2001/A1:2007 (IEC 60034-5: 2000/A1:2006)

Authorized Representative:

Michael A Logsdon

Michael A. Logsdon Vice President, Technology

Created on 09/01/2022

(€ 22

Authorized Representative in the Community:

Julian Clark Marketing Engineer