## PRODUCT INFORMATION PACKET



Model No: 192115.30 Catalog No: 192115.30

Obsolete Replaced by 192115.00..3/4HP-0.55kW..3600RPM.D71.TEFC.575V.3PH.60HZ.CONT.40C..B3.....

Miscellaneous






## Nameplate Specifications


Output HP	0.75 Hp	Output KW	0.56 kW		
Frequency	60 Hz	Voltage	575 V		
Current	0.92 A	Speed	3425 rpm		
Service Factor	1.15	Phase	3		
Efficiency	78 %	Power Factor	77		
Duty	Continuous	Insulation Class	F		
Design Code	NO DESIGN CODE	KVA Code	J		
Frame	D71	Enclosure	Totally Enclosed Fan Cooled		
Thermal Protection	No	Ambient Temperature	40 °C		
Drive End Bearing Size	6202	Opp Drive End Bearing Size	6202		
UL	Recognized	CSA	Υ		
CE	Υ	IP Code	55		
Number of Speeds	1				

## **Technical Specifications**

Electrical Type	Squirrel Cage Inverter Rated	Starting Method	Line Or Inverter
Poles	2	Rotation	Reversible
Resistance Main	0 Ohms	Mounting	В3
Motor Orientation	Horizontal Or Up Or Down	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Aluminum
Shaft Type	IEC	Assembly/Box Mounting	F3
Outline Drawing	OL19211530	Connection Drawing	00546802

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:10/27/2021





				UNLES	ERANCES S SPECIFIE			DRAWN	
				DEC.	INCHES	REGAL REGAL-BELOIT CORPORAT	TION	CHK	
				.x	±.1			APPD	
				.xx	±.03	TITLE 575V connection drawing		SCALE	
				.xxx	±.005	Y		REF	
				.xxxx	±.0005	HAT'L.		FMF	
NO.	REVISION	BY & DATE	CHK	ANG	±1/2	FINISH		PREV	
THIS DRAWING IN DESIGN AND DETAIL IS DUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH DUR YORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTROMICALLY GENERATED DIOCUMENT – DIO NOT SCALE THIS PRINT		RFP			CAD FILE SIZE	DRAWING NO	3.	REV.	
		DIST			В.				