
PRODUCT INFORMATION PACKET

Model No: 199008.00 Catalog No: 199008.00 Obsolete, I by B199008.00 -..5HP..1200RPM.215T.TEFC.230/460V.3PH.60HZ.CONT.40C.1.15SF.RIGID......GENERAL PURPOS









Product Information Packet: Model No: 199008.00, Catalog No:199008.00 Obsolete, replaced by B199008.00 - ..5HP..1200RPM.215T.TEFC.230/460V.3PH.60HZ.CONT.40C.1.15SF.RIGID.....GENERAL PURPOSE......



Nameplate Specifications

Phase	3	Output HP	5 & 3 Hp
Output KW	3.7 & 2.2 kW	Voltage	230/460 & 190/380 V
Speed	1182 & 982 rpm	Service Factor	1.15 & 1.15
Frame	215T	Enclosure	Totally Enclosed Fan Cooled
Thermal Protection	No Protection	Efficiency	89.5 & 88.5 %
Ambient Temperature	40 °C	Frequency	60 & 50 Hz
Current	14/7 & 11/5.5 A	Power Factor	75
Duty	Continuous	Insulation Class	F
Design Code	В	KVA Code	G
Drive End Bearing Size	6307	Opp Drive End Bearing Size	6206
UL	Recognized	CSA	Y
CE	N	IP Code	43
Number of Speeds	1		

Technical Specifications

Electrical Type	Squirrel Cage Inverter Rated	Starting Method	Line Or Inverter	
Poles	6	Rotation	Reversible	
Resistance Main	1.625 Ohms	Mounting	Rigid Base	
Motor Orientation	Horizontal	Drive End Bearing	Ball	
Opp Drive End Bearing	Ball	Frame Material	Cast Iron	
Shaft Type	т	Assembly/Box Mounting	F1/F2 CAPABLE	
les venten Lee d	CONSTANT 20:1			
Inverter Load	CONSTANT 20.1			

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:06/22/2023

SS620291

