

### Nameplate Specifications

|                        |                |                            |                             |
|------------------------|----------------|----------------------------|-----------------------------|
| Output HP              | 0.75 Hp        | Output KW                  | 0.56 kW                     |
| Frequency              | 60 Hz          | Voltage                    | 115/208-230 V               |
| Current                | 11.0/5.4-5.5 A | Speed                      | 1725 rpm                    |
| Service Factor         | 1.15           | Phase                      | 1                           |
| Efficiency             | 71 %           | Power Factor               | 71                          |
| Duty                   | Continuous     | Insulation Class           | B                           |
| Design Code            | L              | KVA Code                   | L                           |
| Frame                  | 56             | Enclosure                  | Totally Enclosed Fan Cooled |
| Thermal Protection     | Manual         | Ambient Temperature        | 40 °C                       |
| Drive End Bearing Size | 6203           | Opp Drive End Bearing Size | 6203                        |
| UL                     | Recognized     | CSA                        | Y                           |
| CE                     | Y              | IP Code                    | 43                          |
| Number of Speeds       | 1              |                            |                             |

### Technical Specifications

|                       |                               |                    |                            |
|-----------------------|-------------------------------|--------------------|----------------------------|
| Electrical Type       | Capacitor Start Induction Run | Starting Method    | Across The Line            |
| Poles                 | 4                             | Rotation           | Selective Counterclockwise |
| Resistance Main       | 0 Ohms                        | Mounting           | Rigid Base                 |
| Motor Orientation     | Horizontal                    | Drive End Bearing  | Ball                       |
| Opp Drive End Bearing | Ball                          | Frame Material     | Rolled Steel               |
| Shaft Type            | T                             | Overall Length     | 12.32 in                   |
| Shaft Diameter        | 0.625 in                      | Shaft Extension    | 1.88 in                    |
| Assembly/Box Mounting | F1 ONLY                       |                    |                            |
| Outline Drawing       | A-104239-706                  | Connection Drawing | 102005-79                  |