## PRODUCT INFORMATION PACKET



Model No: 199688.00 Catalog No: 199688.00

.Obsolete,

aced by B199688.00 -.3HP..1200RPM.213T.ODP.230/460V.3PH.60HZ.CONT.40C.1.15SF.RIGID......GEN PURPOSE...





## Nameplate Specifications

3	Output HP	3 & 2 Hp
2.2 & 1.5 kW	Voltage	230/460 & 190/380 V
1182 & 985 rpm	Service Factor	1.15 & 1.15
213T	Enclosure	Drip Proof
No Protection	Efficiency	88.5 & 87.5 %
40 °C	Frequency	60 & 50 Hz
8.8/4.4 & 7/3.5 A	Power Factor	72
Continuous	Insulation Class	F
В	KVA Code	J
6307	Opp Drive End Bearing Size	6206
Recognized	CSA	Υ
Υ	IP Code	22
1		
	2.2 & 1.5 kW  1182 & 985 rpm  213T  No Protection  40 °C  8.8/4.4 & 7/3.5 A  Continuous  B  6307  Recognized	2.2 & 1.5 kW  Voltage  1182 & 985 rpm  Service Factor  213T  Enclosure  No Protection  Efficiency  40 °C  Frequency  8.8/4.4 & 7/3.5 A  Power Factor  Continuous  Insulation Class  B  KVA Code  6307  Opp Drive End Bearing Size  Recognized  CSA

## **Technical Specifications**

Electrical Type	Squirrel Cage Inverter Rated	Starting Method	Line Or Inverter
Poles	6	Rotation	Reversible
Resistance Main	2.605 Ohms	Mounting	Rigid Base
Motor Orientation	Horizontal	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Rolled Steel
Shaft Type	Т	Assembly/Box Mounting	F1/F2 CAPABLE
Inverter Load	VARIABLE 10:1		
Outline Drawing	SS620293-213T	Connection Drawing	EE7308

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:06/22/2023



