PRODUCT INFORMATION PACKET

Model No: 215TTDW4049 Catalog No: U195 Close-Coupled Pump Motor, 10 & 7.50 HP, 3 Ph, 60 & 50 Hz, 230/460 & 190/380 V, 1800 & 1500 RPM, 215JP Frame, DP



Regal and Marathon are trademarks of Regal Rexnord Corporation or one of its affiliated companies. ©2023 Regal Rexnord Corporation, All Rights Reserved. MC017097E







Product Information Packet: Model No: 215TTDW4049, Catalog No:U195 Close-Coupled Pump Motor, 10 & 7.50 HP, 3 Ph, 60 & 50 Hz, 230/460 & 190/380 V, 1800 & 1500 RPM, 215JP Frame, DP

marathon®


Nameplate Specifications

Phase	3	Output HP	10 & 7.50 Hp
Output KW	7.5 & 5.6 kW	Voltage	230/460 & 190/380 V
Speed	1750 & 1455 rpm	Service Factor	1.15 & 1.15
Frame	215JP	Enclosure	Drip Proof
Thermal Protection	No Protection	Efficiency	89.5 & 89.5 %
Ambient Temperature	40 °C	Frequency	60 & 50 Hz
Current	25/12.5 & 23/11.5 A	Power Factor	85
Duty	Continuous	Insulation Class	F
Design Code	В	KVA Code	G
Drive End Bearing Size	6309	Opp Drive End Bearing Size	6206
UL	Recognized	CSA	Y
CE	Υ	IP Code	22
Number of Speeds	1		

Technical Specifications

Electrical Type	Squirrel Cage Induction Run	Starting Method	Across The Line	
Poles	4	Rotation	Reversible	
Resistance Main	1.31 Ohms	Mounting	Rigid Base	
Motor Orientation	Horizontal	Drive End Bearing	Ball	
Opp Drive End Bearing	Ball	Frame Material	Rolled Steel	
Shaft Type	JP	Overall Length	23.03 in	
Frame Length	11.15 in	Shaft Diameter	1.250 in	
Shaft Extension	8.15 in	Assembly/Box Mounting	F1/F2 Capable	
Outline Drawing	A-SS86594-1115	Connection Drawing	A-EE7308	

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:06/21/2023



			DRAWN DA 03-26-1996			
			СНК М	L 04-01-	-1996	
				N 04-01-	-1996	
^{tle} outline			SCALE 1=5			
210JP FRBB-TS-DR.PRC' FACE			REF			
AT'L.			FMF			
NISH			PREV			
AD FILE ss86594	SIZE	DRAWING NO	. PAGE	OF	REV.	
	A	SS86594 6			6	

Uncontrolled Copy

