# PRODUCT INFORMATION PACKET



Model No: 215TTFW4007 Catalog No: U670 Other Purpose Motor, 15 & 10 HP, 3 Ph, 60 & 50 Hz, 230/460 & 190/380 V, 3600 & 3000 RPM, 215T Frame, TEFC



Product Information Packet: Model No: 215TTFW4007, Catalog No:U670 Other Purpose Motor, 15 & 10 HP, 3 Ph, 60 & 50 Hz, 230/460 & 190/380 V, 3600 & 3000 RPM, 215T Frame, TEFC



#### Nameplate Specifications


3	Output HP	15 & 10 Hp		
<b>11.2 &amp; 7.5 kW</b> Voltage		230/460 & 190/380 V		
3520 & 2945 rpm	Service Factor	1.15 & 1.15		
Frame 215T		Totally Enclosed Fan Cooled		
No Protection	Efficiency	90.2 & 89.5 %		
40 °C	Frequency	60 & 50 Hz		
36/18 & 30/15 A	Power Factor	87		
Continuous	Insulation Class	F		
Design Code B		G		
6307	Opp Drive End Bearing Size	6206		
Recognized	CSA	Υ		
Υ	IP Code	43		
1				
	11.2 & 7.5 kW  3520 & 2945 rpm  215T  No Protection  40 °C  36/18 & 30/15 A  Continuous  B  6307  Recognized	11.2 & 7.5 kW  3520 & 2945 rpm  Service Factor  215T  Enclosure  No Protection  Efficiency  40 °C  Frequency  36/18 & 30/15 A  Power Factor  Continuous  Insulation Class  B  KVA Code  6307  Opp Drive End Bearing Size  Recognized  CSA		

## **Technical Specifications**

Electrical Type	Squirrel Cage Induction Run	Starting Method	Across The Line
Poles	2	Rotation	Reversible
Resistance Main	.6 Ohms	Mounting	Rigid Base
Motor Orientation	Horizontal	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Rolled Steel
Shaft Type	Т	Overall Length	20.23 in
Frame Length	11.15 in	Shaft Diameter	1.375 in
Shaft Extension	3.47 in	Assembly/Box Mounting	F1/F2 CAPABLE
Outline Drawing	A-SS88975-1115	Connection Drawing	A-EE7308

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:06/21/2023

### **Uncontrolled Copy**



DASH	FR.	С	BS	MOUNTING
965	213T	18.73	5.43	
1115	213/15T	20.23	6.93	F1 ONLY OR F2 ONLY
1240	213/15T	21.48	8.18	F1 ONLY OR F2 ONLY

REMOVING BRACKETS AND TURNING FRAME 180°. (EXCEPT AS NOTED.)

DRAWING REVISION	REVISION BY	REV I	DATE/© DATE
K	KR	05	/30/2022
REQUEST NUMBER	APPROVED BY	DATE	
NMR-0214388	MN	05	5/30/2022

# REQUEST NUMBER DESCRIPTION UPDATED TO SOLIDWORK

COPYRIGHT (PER REVISION DATE) REGAL BELOIT AMERICA, INC. ALL RIGHTS RESERVED. REGAL BELOIT AMERICA, INC. ("OWNER") AND CONTAINS OWNER'S PROPRIETARY INFORMATION, ANY PERSON, CORPORATION OR OTHER FIRM RECEIVING IT IS DEEMED. BY RECEIVING IT, TO AGREE THAT IT, AND/OR ANY PART OF IT, SHALL NOT BE DISCLOSED TO ANY PERSON, CORPORATION OR OTHER ENTITY, DUPLICATED, AND/OR USED, EXCEPT AS EXPRESSLY APPROVED IN WRITING IN ADVANCE BY OWNER. THIS DOCUMENT SHALL BE RETURNED TO OWNER UPON REQUEST. IT MAY BE SUBJECT TO CERTAIN RESTRICTIONS UNDER APPLICABLE EXPORT CONTROL LAWS AND REGULATIONS

TOLER/	ANCES (E)	KCEPT AS	NOTED):
DEC.	<u>INCH</u>		
.X	±0.1	[±3]	±7' 30"
	±0.03		
.XXX	±0.005	[±0.13]	
.XXXX	±0.0005	[±0.013]	
REMOV	E BURRS	& BREAK S	SHARP
EDGES	: .003/.015	[.08/.38] X	45°
CORNE	R FILLETS	8: R.02 [.5]	
		ACES: 200	5.1
		INCH \	$/$ mm $\bigvee$
mm DIM	<b>IENSIONS</b>	IN [BRACK	(ETS)
		ENCE ONL	

	DRAWN BY ERH DATE 12-08-2003	<b>Regali</b> Rexnord	gal Beloit America, Inc.			
	APPROVED BY DR DATE 12-09-2003	OUTLINE 210 FR BB-TS-TEFC-R/S				
/	REFERENCE ABCDEF	MATERIAL		PROCESS/FINISH		
	THIRD ANGLE PROJECTION	SIZE DRAWING NUMBI		8975		SHEET 1 OF 1

F2- VIEW

