## PRODUCT INFORMATION PACKET



Model No: 254TTFL14030
Catalog No: E997
15 HP General Purpose Motor, 3 phase, 1800 RPM, 575 V, 254T Frame, TEFC
General Purpose Motors





## Nameplate Specifications

Output HP	15 Hp	Output KW	11.2 kW
Frequency	60 Hz	Voltage	575 V
Current	16.0 A	Speed	1750 rpm
Service Factor	1.15	Phase	3
Efficiency	91 %	Power Factor	78
Duty	Continuous	Insulation Class	F
Design Code	В	KVA Code	G
Frame	254T	Enclosure	Totally Enclosed Fan Cooled
Thermal Protection	No	Ambient Temperature	40 °C
Drive End Bearing Size	6309	Opp Drive End Bearing Size	6207
UL	Recognized	CSA	Υ
CE	Υ	IP Code	43
Number of Speeds	1		
	·	·	<u> </u>

## **Technical Specifications**

Electrical Type	Squirrel Cage Induction Run	Starting Method	Across The Line
Poles	4	Rotation	Reversible
Resistance Main	.757 Ohms	Mounting	Rigid Base
Motor Orientation	Horizontal	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Aluminum
Shaft Type	Т	Overall Length	22.99 in
Frame Length	11.50 in	Shaft Diameter	1.625 in
Shaft Extension	4 in	Assembly/Box Mounting	F1/F2 CAPABLE
Outline Drawing	B-SS330109-1150	Connection Drawing	A-EE7300

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:10/12/2021

NO. OF MTG. HOLES

4

4

4

8

4

8

4

CAPABLE

NO

YES

NO

YES

NO

YES

YES

6.46

6.96

8.21

8.21

8.21


8.25


8.71

\_

\_

10.00





F2 CONDUIT BOX LOCATION

## NOTES:

- 1. CONDUIT BOX CAN BE ROTATED IN 180° STEPS.
- 2. NAMEPLATE TO BE READ FROM CONDUIT BOX SIDE OF MOTOR
- 3. SEE CHART FOR F2 CAPABILITY. IF YES, BOX CAN BE MOUNTED ON OPPOSITE SIDE BY REMOVING BRACKETS AND TURNING FRAME 180°

		<sub>20</sub> 13/5		2561		3.87   25.24		10.00	-   9.		.21	YES		1
		147	5	25	6T 14	4.87	26.24	10.00	-	10	0.21	YES	8	3
8	REMOVED DIMENSION 9.50 FROM -1275 / 2FF	RJW 6/17/2008	ML	UNLES	ERANCES S SPECIFIED				$\overline{}$		7	DRAWN	MJK 04-13	-2005
7	UPDATED DRAWING	RJW 04-12-2007		DEC.	INCHES	]](((C	)))   <u>[/</u>	<u>/-1/4</u>	<u>با لاک</u>	<u> ЛС</u>	<u></u>		ML 08-18	-2005
6	REVISED DASH 1275 (2F) WAS 10.00 ECN8752 CN40215 RJW 06-21-2006		ML	.x	±.1		االكالك		ائتھ			APPD	CGD 08-18	3-2005
5	ADDED "2FF" COLUMN CN 40215	JJB 06/01/2006		.xx	±.03	TITLE O	UTLINE					SCALE	1=4	
4	-1475; '2F' DIMENSION WAS 12.00 CN 46434	DRS 05-08-2006	ML	.xxx	±.005	210	FR254/	/56 MTG. /	ALUMINUM	FR.	-TEFC	REF		
3	REVISED DASH 1475 / 2F WAS 11.50 CN46368	RJW 02-14-2006	ML	.xxxx	±.0005	MAT'L.					FMF			
N	NO. REVISION BY & DA		СНК	ANG	±7'30"	FINISH					PREV	PREV		
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED.						CAD FILE	ss330109				DRAWING I		E OF	REV.
THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT			DIST LB				В	SS	330109		8			

254T

254T

254T

254T

256T

254T

256T

11.12

11.62

12.87

12.87

12.87

13.37

13.37

22.49

22.99

24.24

24.24

24.24

24.74

24.74

8.25

8.25

8.25

8.25

10.00

8.25

10.00

1100

1150

**1**275

1275

1275

1325

1325

