## PRODUCT INFORMATION PACKET



Model No: 254TTFNA16343 Catalog No: 254TTFNA16343 15,1800,TEFC,254TCV,3/60/480





## Nameplate Specifications

3	Output HP	15 Hp
11.2 kW	Voltage	480 V
1775 rpm	Service Factor	1.15
254TCV	Enclosure	Totally Enclosed Fan Cooled
No Protection	Efficiency	92.4 %
40 °C	Frequency	60 Hz
18.0 A	Power Factor	81
Continuous	Insulation Class	F
В	KVA Code	G
6309	Opp Drive End Bearing Size	6210
Recognized	CSA	Υ
Υ	IP Code	43
1		
	11.2 kW  1775 rpm  254TCV  No Protection  40 °C  18.0 A  Continuous  B  6309  Recognized	11.2 kW Voltage  1775 rpm Service Factor  254TCV Enclosure  No Protection Efficiency  40 °C Frequency  18.0 A Power Factor  Continuous Insulation Class  B KVA Code  6309 Opp Drive End Bearing Size  Recognized CSA

## **Technical Specifications**

Electrical Type	Squirrel Cage Induction Run	Starting Method	Across The Line
Poles	4	Rotation	Reversible
Resistance Main	.649 Ohms	Mounting	Round
Motor Orientation	Shaft Down	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Cast Iron
Shaft Type	Т	Assembly/Box Mounting	F1/F2 CAPABLE
Outline Drawing	B-SS203674-1225	Connection Drawing	A-EE7300

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:09/07/2024



