PRODUCT INFORMATION PACKET

Model No: 256TTFL16043 Catalog No: U355A HP Close-Coupled Pump Motor, 3 phase, 1800 RPM, 575 V, Frame, TEFC Close-Coupled Pump Motors



marathon[®]

Motors

Regal and Marathon are trademarks of Regal Rexnord Corporation or one of its affiliated companies. ©2021 Regal Rexnord Corporation, All Rights Reserved. MC017097E





Product Information Packet: Model No: 256TTFL16043, Catalog No:U355A HP Close-Coupled Pump Motor, 3 phase, 1800 RPM, 575 V, Frame, TEFC

marathon®


Nameplate Specifications

Output HP	20 Hp	Output KW	14.9 kW
Frequency	60 Hz	Voltage	575 V
Current	19.3 A	Speed	1775 rpm
Service Factor	1.15	Phase	3
Efficiency	93 %	Power Factor	84
Duty	Continuous	Insulation Class	F
Design Code	В	KVA Code	G
Frame	256JM	Enclosure	Totally Enclosed Fan Cooled
Thermal Protection	No	Ambient Temperature	40 °C
Drive End Bearing Size	6309	Opp Drive End Bearing Size	6208
UL	Recognized	CSA	Y
CE	Υ	IP Code	43
Number of Speeds	1		

Technical Specifications

Electrical Type	Squirrel Cage Induction Run	Starting Method	Across The Line
Poles	4	Rotation	Reversible
Resistance Main	.474 Ohms	Mounting	Rigid Base
Motor Orientation	Horizontal	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Aluminum
Shaft Type	JM	Assembly/Box Mounting	F1/F2 CAPABLE
Connection Drawing	A-EE7300	Outline Drawing	B-SS321151-1375

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:10/12/2021



3 of 4

