## PRODUCT INFORMATION PACKET



Model No: 256TTGN12545 Catalog No: 256TTGN12545 20,1800,EPFC,256TCZ,3/60/460





## Nameplate Specifications

3	Output HP	20 Hp
14.9 kW	Voltage	460 V
1775 rpm	Service Factor	1.15
256TCZ	Enclosure	Explosion Proof Fan cooled
No Protection	Efficiency	93 %
40 °C	Frequency	60 Hz
24.1 A	Power Factor	84
Continuous	Insulation Class	F
В	KVA Code	G
6309	Opp Drive End Bearing Size	6210
No	CSA	N
N	IP Code	54
1	Hazardous Location	EXP PROOF CL I GR C&D T2A
	14.9 kW 1775 rpm 256TCZ No Protection 40 °C 24.1 A Continuous B 6309 No	14.9 kW Voltage  1775 rpm Service Factor  256TCZ Enclosure  No Protection Efficiency  40 °C Frequency  24.1 A Power Factor  Continuous Insulation Class B KVA Code  6309 Opp Drive End Bearing Size  No CSA IP Code

## **Technical Specifications**

Electrical Type	Squirrel Cage Inverter Rated	Starting Method	Line Or Inverter	
Poles	4	Rotation	Reversible	
Resistance Main	.474 Ohms	Mounting	Rigid Base	
Motor Orientation	Horizontal	Drive End Bearing	Ball	
Opp Drive End Bearing	Ball	Frame Material	Cast Iron	
Shaft Type	Special Extension Both Sides	Assembly/Box Mounting	F1 ONLY	
Outline Drawing	B-SS208229-1225	Connection Drawing	A-EE7300	

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:08/24/2023



