
PRODUCT INFORMATION PACKET







Regal and Marathon are trademarks of Regal Rexnord Corporation or one of its affiliated companies. ©2025 Regal Rexnord Corporation, All Rights Reserved. MC017097E

Fregal Rexnord


Nameplate Specifications

| Phase | 3 | Output HP | 15 Hp |
|------------------------|---------------|----------------------------|---------------------------|
| Output KW | 11.2 kW | Voltage | 208 V |
| Speed | 1178 r/min | Service Factor | 1.15 |
| Frame | 284T | Enclosure | Totally Enclosed Air Over |
| Thermal Protection | No Protection | Efficiency | 91.7 % |
| Ambient Temperature | 40 °C | Frequency | 60 Hz |
| Current | 45.0 A | Power Factor | 75 |
| Duty | Continuous | Insulation Class | F |
| Design Code | В | KVA Code | G |
| Drive End Bearing Size | 6311 | Opp Drive End Bearing Size | 6210 |
| UL | Recognized | CSA | Y |
| CE | Ν | IP Code | 43 |
| Number of Speeds | 1 | | |

Technical Specifications

| Electrical Type | Squirrel Cage Inverter Rated | Starting Method | Line Or Inverter |
|-----------------------|------------------------------|-----------------------|------------------|
| Poles | 6 | Rotation | Reversible |
| Resistance Main | .5026 O | Mounting | Rigid Base |
| Motor Orientation | Horizontal | Drive End Bearing | Ball |
| Opp Drive End Bearing | Ball | Frame Material | Cast Iron |
| Shaft Type | т | Assembly/Box Mounting | F1/F2 CAPABLE |
| Connection Drawing | EE7300 | Outline Drawing | SS311162-1275 |

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:04/08/2025



3 of 4

Uncontrolled Copy

