PRODUCT INFORMATION PACKET





marathon[®]

Motors

Regal and Marathon are trademarks of Regal Rexnord Corporation or one of its affiliated companies. ©2021 Regal Rexnord Corporation, All Rights Reserved. MC017097E




Nameplate Specifications

Output HP	40 Hp	Output KW	30.0 kW		
Frequency	60 Hz	Voltage	230/460 V		
Current	94.0/47.0 A	Speed	3545 rpm		
Service Factor	1.15	Phase	3		
Efficiency	93.6 %	Power Factor	85		
Duty	Continuous	Insulation Class	F		
Design Code	В	KVA Code	G		
Frame	324TDZ	Enclosure	Totally Enclosed Fan Cooled		
Thermal Protection	No	Ambient Temperature	40 °C		
Drive End Bearing Size	6312	Opp Drive End Bearing Size	6311		
UL	Recognized	CSA	Y		
CE	Y	IP Code	54		
Number of Speeds	1				

Technical Specifications

Electrical Type	Squirrel Cage Induction Run	Starting Method	Across The Line		
Poles	2	Rotation	Reversible		
Resistance Main	.122 Ohms	Mounting	Rigid Base		
Motor Orientation	Horizontal	Drive End Bearing	Ball		
Opp Drive End Bearing	Ball	Frame Material	Cast Iron		
Shaft Type	Single Special Extension	Assembly/Box Mounting	F1/F2 CAPABLE		
Connection Drawing	A-EE7308K	Outline Drawing	B-SS300494-1150		

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created: 12/01/2021



3 of 4

		Unco	ontroll	ed Copy					
LOW VOLTAGE								EE	7308K
T1(U1) T6(W2) T7(U3)									
T2(V1) T4(U2) T8(V3)	<u>)</u>								
T3(W1) T5(V2) T9(W3)	3			_		• T9 T4 •			-T6(W2) -T9(W3) -T1(U1) -T4(U2)
HIGH VOLTAGE T1(U1)L1				/	C C	Jon Star			-T7(U3) -T2(V1) -T5(V2)
T4(U2) T7(U3)									-T8(V3) -T3(W1)
T2(V1)La) -	/			~				
T5(V2) T8(V3)	/								
T3(W1)L3	}			/IEW	/ 🗆 F	TERMINAL	END		
T6(W2)									
		l	TOLE UNLESS	ERANCES SPECIFIEI		ANN NIKA NA		DRAWN	PGK 06-04-1997
E CORRECTED IEC MARKINGS ECO-0111208	WGJ 01-23-2017	EMH		INCHES	R	EGAL REGAL - BELO	OIT CORPORATION	СНК	ML 06-05-1997
D RE-DRAWN WITH REGAL LDGD ECD-0110493 WGJ 09-30-2016 8 ADDED IEC DESIGNATIONS MU95020 TJW 4/30/2010		EMH MJS		±.1 ±.02	TITLE		CDAM	APPD SCALE	GK 06-15-1997
8 ADDED IEC DESIGNATIONS M095020 I JW 4/30/2010 7 REVISD HIGH VOLTAGE L2 WAS L3 CN52600-354 MRB 09-21-1998				±.02		CONNECTION DIA DELTA CON, - 30 -		REF	
6 REDRAWN ON CADD PGK 06-05-1997			├	±.0005	MAT'L.			FMF	
ND. REVISION	BY & DATE	СНК		±7′30″	FINISH			PREV	
THIS DRAWING IN DESIGN AND DETAIL IS DUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH DUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED		RFP	· · · · ·		CAD FILE	EE7308K	SIZE DRAWING		
IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCAL		DIST					A E	E7308	K E