PRODUCT INFORMATION PACKET

Model No: 365TTGS11062 Catalog No: 365TTGS11062 75,1800,EPFV,365TDV,3/60/230/460



Nameplate Specifications

Hazardous Location	EXP PROOF CL I GR D T2A	Number of Speeds	1
CE	N	IP Code	54
UL	No	CSA	N
Drive End Bearing Size	NU314	Opp Drive End Bearing Size	6312
Thermal Protection	No	Ambient Temperature	40 °C
Frame	365TDV	Enclosure	Explosion Proof Fan cooled
Design Code	В	KVA Code	G
Duty	Continuous	Insulation Class	F
Efficiency	94.1 %	Power Factor	84
Service Factor	1.15	Phase	3
Current	178.0/89.0 A	Speed	1780 rpm
Frequency	60 Hz	Voltage	230/460 V
Output HP	75 Hp	Output KW	56.0 kW

Technical Specifications

Electrical Type	Squirrel Cage Induction Run	Starting Method	Across The Line	
Poles	4	Rotation	Reversible	
Resistance Main	.073 Ohms	Mounting	Round	
Motor Orientation	Shaft Down	Drive End Bearing	Roller	
Opp Drive End Bearing	Ball	Frame Material	Cast Iron	
Shaft Type	т	Assembly/Box Mounting	F1/F2 CAPABLE	
Connection Drawing	A-EE7308K	Outline Drawing	B-SS518555-1450	

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:04/23/2022



