PRODUCT INFORMATION PACKET

Model No: 445TTFN16931 Catalog No: 445TTFN16931 200,1800,TEFC,445TV,3/60/460




Nameplate Specifications

Output HP	200 Hp	Output KW	149.0 kW
Frequency	60 Hz	Voltage	460 V
Current	226.0 A	Speed	1785 rpm
Service Factor	1.15	Phase	3
Efficiency	96.2 %	Power Factor	86
Duty	Continuous	Insulation Class	F
Design Code	В	KVA Code	G
Frame	445TV	Enclosure	Totally Enclosed Fan Cooled
Thermal Protection	No Protection	Ambient Temperature	40 °C
Drive End Bearing Size	NU318	Opp Drive End Bearing Size	6316
UL	Recognized	CSA	Υ
CE	Υ	IP Code	54
Number of Speeds	1		


Technical Specifications


Electrical Type	Squirrel Cage Inverter Rated	Starting Method	Line Or Inverter
Poles	4	Rotation	Reversible
Resistance Main	.018 Ohms	Mounting	Rigid Base
Motor Orientation	Shaft Up	Drive End Bearing	Roller
Opp Drive End Bearing	Ball	Frame Material	Cast Iron
Shaft Type	Т	Assembly/Box Mounting	W8
Inverter Load	VARIABLE 10:1		
Connection Drawing	A-EE7300U	Outline Drawing	B-SS555065-2025

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:09/02/2022



Uncontrolled Copy





VIEW OF TERMINAL END

DRAWING REVISION	REVISION BY	DATE	
L	AJW	05-04-2015	
ECO	APPROVED BY	DATE	
ECO-0077067	EWH	05-05-2015	
ECO DESCRIPTION			

UPDATED TO SOLIDWORKS

COPYRIGHT REGAL BELOIT AMERICA, INC. ALL RIGHTS RESERVED.
PROPRIETARY AND CONFIDENTIAL INFORMATION - THIS DOCUMENT IS THE PROPERTY OF
REGAL BELOIT AMERICA, INC. ("OWNER") AND CONTAINS OWNER'S PROPRIETARY
INFORMATION. ANY PERSON, CORPORATION OR OTHER FIRM RECEIVING IT IS DEEMED,
BY RECEIVING IT, TO AGREE THAT IT, AND/OR ANY PART OF IT, SHALL NOT BE DISCLOSED
TO ANY PERSON, CORPORATION OR OTHER ENTITY, DUPLICATED, AND/OR USED, EXCEPT
AS EXPRESSLY APPROVED IN WRITING IN ADVANCE BY OWNER. THIS DOCUMENT SHALL
BE RETURNED TO OWNER UPON REQUEST. IT MAY BE SUBJECT TO CERTAIN
RESTRICTIONS UNDER APPLICABLE EXPORT CONTROL LAWS AND REGULATIONS.

TOLER.	ANCES UN	ILESS	
OTHER	WISE SPE	CIFIED:	
DEC.	<u>INCH</u>	<u>mm</u>	<u>ANGLE</u>
.X	±0.1	[±2.5]	±7' 30"
.XX		[±0.51]	
		[±0.127]	
		[±0.0127]	
REMO\	/E BURRS	& BREAK S	HARP
		5 [.076/.381]	
CORNE	R FILLETS	S: R.02 [.51]
MACHI	NED SURF	ACES: 200	5.1
		INCH ∨	mm 🗸
mm SH	OWN IN [E	BRACKETS]	

	DRAWN BY DRS DATE 09-27-1996		REGAL Regal Beloit Ame	rica, Inc.	
APPROVED BY GK DESCRIPTION			CONN DIAGRAM-E	YTERNA	
DATE 09-30-1996		3Ø SINDLE VOLTAGE			
,	REFERENCE	MATE	RIAL	PROCESS/FINISH	
	THIRD ANGLE PROJECTION	SIZE	DRAWING NUMBER EE7300U		SHEET 1 OF 1