
PRODUCT INFORMATION PACKET





Regal and Leeson are trademarks of Regal Rexnord Corporation or one of its affiliated companies. \hat{A} ©2023 Regal Rexnord Corporation, All Rights Reserved. MC017097E





Product Information Packet: Model No: B199023.00, Catalog No:B199023.00 General Purpose Motor, 25 & 20 HP, 3 Ph, 60 & 50 Hz, 230/460 & 190/380 V, 1200 & 1000 RPM, 324T Frame, TEFC

LEESON


Nameplate Specifications

| Phase | 3 | Output HP | 25 & 20 Hp |
|------------------------|-------------------|----------------------------|-----------------------------|
| Output KW | 18.7 & 14.9 kW | Voltage | 230/460 & 190/380 V |
| Speed | 1184 & 985 rpm | Service Factor | 1.15 & 1.15 |
| Frame | 324T | Enclosure | Totally Enclosed Fan Cooled |
| Thermal Protection | No Protection | Efficiency | 93 & 92.4 % |
| Ambient Temperature | 40 °C | Frequency | 60 & 50 Hz |
| Current | 64/32 & 63/31.5 A | Power Factor | 78.5 |
| Duty | Continuous | Insulation Class | F |
| Design Code | В | KVA Code | G |
| Drive End Bearing Size | 6312 | Opp Drive End Bearing Size | 6212 |
| UL | Listed | CSA | Y |
| CE | Y | IP Code | 55 |
| Number of Speeds | 1 | | |

Technical Specifications

| Electrical Type | Squirrel Cage Inverter Rated | Starting Method | Wye Start Delta Run Or Inverter |
|-----------------------|------------------------------|-----------------------|---------------------------------|
| Poles | 6 | Rotation | Reversible |
| Resistance Main | .327 Ohms | Mounting | Rigid Base |
| Motor Orientation | Horizontal | Drive End Bearing | Ball |
| Opp Drive End Bearing | Ball | Frame Material | Cast Iron |
| Shaft Type | т | Overall Length | 29.69 in |
| Frame Length | 13.07 in | Shaft Diameter | 2.125 in |
| Shaft Extension | 5.25 in | Assembly/Box Mounting | F1/F2 CAPABLE |
| Outline Drawing | SS312782-324T | Connection Drawing | EE7308AA |

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:06/22/2023



3 of 4

Uncontrolled Copy

