## PRODUCT INFORMATION PACKET



Model No: B199049.00 Catalog No: B199049.00

SOLETE REPLACED BY 447TTFCD6038 ..200HP..1800RPM.447T.TEFC.460V.3PH.60HZ.CONT.40C.1.15SF.RIGID.

...GENERAL PURPOSE......






#### Nameplate Specifications

| Phase                  | 3                | Output HP                  | 200 & 150 Hp                |
|------------------------|------------------|----------------------------|-----------------------------|
| Output KW              | 149.0 & 112.0 kW | Voltage                    | 460 & 380 V                 |
| Speed                  | 1790 & 1490 rpm  | Service Factor             | 1.15 & 1.15                 |
| Frame                  | 447T             | Enclosure                  | Totally Enclosed Fan Cooled |
| Thermal Protection     | No Protection    | Efficiency                 | 96.2 & 96 %                 |
| Ambient Temperature    | 40 °C            | Frequency                  | 60 & 50 Hz                  |
| Current                | 219 & 200 A      | Power Factor               | 89                          |
| Duty                   | Continuous       | Insulation Class           | F                           |
| Design Code            | В                | KVA Code                   | G                           |
| Drive End Bearing Size | 6319             | Opp Drive End Bearing Size | 6317                        |
| UL                     | Listed           | CSA                        | Υ                           |
| CE                     | Υ                | IP Code                    | 55                          |
| Number of Speeds       | 1                | Hazardous Location         | DIVISION 2 T2B              |
|                        |                  |                            |                             |

## **Technical Specifications**

| Electrical Type       | Squirrel Cage Inverter Rated | Starting Method       | Part Wdg Start Or Inverter Reversible |  |  |  |
|-----------------------|------------------------------|-----------------------|---------------------------------------|--|--|--|
| Poles                 | 4                            | Rotation              |                                       |  |  |  |
| Resistance Main       | .0184 Ohms                   | Mounting              | Rigid Base                            |  |  |  |
| Motor Orientation     | Horizontal                   | Drive End Bearing     | Ball                                  |  |  |  |
| Opp Drive End Bearing | Ball                         | Frame Material        | Cast Iron                             |  |  |  |
| Shaft Type            | Т                            | Assembly/Box Mounting | F1/F2 CAPABLE                         |  |  |  |
| Inverter Load         | VARIABLE 10:1                |                       |                                       |  |  |  |
| Outline Drawing       | SS557013                     | Connection Drawing    | EE7341C                               |  |  |  |

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:06/22/2023



EE7341C

#### START

CONNECT T1 TO LINE 1
CONNECT T2 TO LINE 2
CONNECT T3 TO LINE 3
T7-T8-T9 OPEN

## RUN

CONNECT T1&T7 TO LINE 1 CONNECT T2&T8 TO LINE 2 CONNECT T3&T9 TO LINE 3


IF MOTOR HAS 2 T'S

## START

CONNECT T1,T1 TO LINE 1 CONNECT T2,T2 TO LINE 2 CONNECT T3,T3 TO LINE 3 T7,T7-T8,T8-T9,T9 OPEN

#### RUN

CONNECT T1,T1&T7,T7 TO LINE 1 CONNECT T2,T2&T8,T8 TO LINE 2 CONNECT T3,T3&T9,T9 TO LINE 3



THREE PHASE - PART WINDING START

VIEW OF TERMINAL END

|  |                                      |                |     | TOL<br>UNLES | ERAN<br>S SP | NCES<br>ECIFIED |                      |                            |              | DRAWN BLR | 03-09 | -1998 |
|--|--------------------------------------|----------------|-----|--------------|--------------|-----------------|----------------------|----------------------------|--------------|-----------|-------|-------|
|  |                                      |                |     | DEC.         | IN           | CHES            | REGAL REGAL - BELOI  | REGAL - BELOIT CORPORATION |              | CHK ML    | 03-23 | -1998 |
|  |                                      |                |     | .x           | ±            | -               |                      |                            |              | APPD GK   | 03-23 | -1998 |
|  |                                      |                |     | .xx          | ±            | -               | TITLE CONNECTION DIA | CONNECTION DIAGRAM         |              | SCALE     | 1=1   |       |
| Ε  | NOTE ADDED FOR 2 T'S                 | NAR 17-12-2020 | RC  | .xxx         | ±            | -               | 3ø − 6 LEADS         |                            | REF          |           |       |       |
| D  | RE-DRAWN WITH REGAL LOGO ECO-0110493 | WGJ 09-30-2016 | ЕМН | .xxxx        | ±            | -               | MAT'L.               |                            |              | FMF       |       |       |
| NO.  | NO. REVISION BY                      |                | СНК | ANG          | ±            | -               | NSH                  |                            |              | PREV      |       |       |
| THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT  |                                      |                | RFP |              |              |                 | CAD FILE EE7341C     | SIZ                        | E DRAWING NO |           | OF    | REV.  |
| IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT — DO NOT SCALE THIS PRINT |                                      |                |     |              |              |                 |                      | A                          | .   El       | E7341C    |       | ΕΙ    |



# **EC Declaration of Conformity**

The undersigned representing the manufacturer:

Regal Beloit America 100 East Randolph St. Wausau, WI 54401 and the authorized representative established within the Community:

Marathon Electric UK 6F Thistleton Road Ind. Estate Market Overton Oakham, Rutland LE15 7PP UK

are committed to providing customers with products that comply with applicable regulations and international protocols to which they are subject, including the requirements of the European Parliament Directive on the Harmonization of the laws relating to electrical equipment designed for use within certain voltage limits (2014/35/EU).

Regal Beloit America declares that the following product(s), to which this declaration relates, are in conformity with the relevant sections of the EC standards listed below.

This statement supersedes any statements previously issued pertaining to the product(s) listed below and is subject to change without notice.

Model No: B199049.00

(Model No. may contain prefix and/or suffix characters)

Catalog No: B199049.00

Rework No: N/A

#### **Directives:**

Low Voltage Directive 2014/35/EU

#### Harmonized Standards Used:

EN 60034-1: 2010 (IEC 60034-1: 2010)

Michael A Logsdon

EN 60034-5: 2001/A1:2007 (IEC 60034-5: 2000/A1:2006)

Authorized Representative:

<u>Authorized Representative in the Community:</u>

J. cerse

Michael A. Logsdon Vice President, Technology

Created on 04/11/2023

Julian Clark Marketing Engineer

(€ 23