PRODUCT INFORMATION PACKET

Model No: B199769.00 Catalog No: B199769.00 OBSOLETE REPLACED BY 184TTFBD6031



Regal and Leeson are trademarks of Regal Rexnord Corporation or one of its affiliated companies. ©2023 Regal Rexnord Corporation, All Rights Reserved. MC017097E






Nameplate Specifications

| Phase | 3 | Output HP | 5 & 3 Hp |
|------------------------|---------------------|----------------------------|-----------------------------|
| Output KW | 3.7 & 2.2 kW | Voltage | 230/460 & 190/380 V |
| Speed | 1755 & 1462 rpm | Service Factor | 1.15 & 1.15 |
| Frame | 184JM | Enclosure | Totally Enclosed Fan Cooled |
| Thermal Protection | No Protection | Efficiency | 89.5 & 86.5 % |
| Ambient Temperature | 40 °C | Frequency | 60 & 50 Hz |
| Current | 13/6.5 & 10.2/5.1 A | Power Factor | 80 |
| Duty | Continuous | Insulation Class | F |
| Design Code | В | KVA Code | J |
| Drive End Bearing Size | 6307 | Opp Drive End Bearing Size | 6205 |
| UL | Listed | CSA | Y |
| CE | Y | IP Code | 43 |
| Number of Speeds | 1 | Hazardous Location | DIVISION 2 T2B |

Technical Specifications

| Electrical Type | Squirrel Cage Inverter Rated | Starting Method | Line Or Inverter |
|-----------------------|------------------------------|-----------------------|------------------|
| Poles | 4 | Rotation | Reversible |
| Resistance Main | 2.69 Ohms | Mounting | Rigid Base |
| Motor Orientation | Horizontal | Drive End Bearing | Ball |
| Opp Drive End Bearing | Ball | Frame Material | Rolled Steel |
| Shaft Type | JM | Assembly/Box Mounting | F1/F2 CAPABLE |
| Inverter Load | CONSTANT 10:1/VARIABLE 10:1 | | |
| Outline Drawing | SS600202 | Connection Drawing | EE7308 |

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:06/22/2023



3 of 4

Uncontrolled Copy

