

PRODUCT INFORMATION PACKET



Model No: B199987.00
Catalog No: B199987.00
Close-Coupled Pump Motor, 15 & 10 HP, 3 Ph, 60 & 50 Hz, 230/460 & 190/380 V, 1800 & 1500 RPM,
254JP Frame, DP



Regal and Leeson are trademarks of Regal Rexnord Corporation or one of its affiliated companies.
©2023 Regal Rexnord Corporation, All Rights Reserved. MC017097E








Nameplate Specifications

| | | | |
|------------------------|--------------------------------|----------------------------|--------------------------------|
| Phase | 3 | Output HP | 15 & 10 Hp |
| Output KW | 11.2 & 7.5 kW | Voltage | 230/460 & 190/380 V |
| Speed | 1774 & 1478 rpm | Service Factor | 1.15 & 1.15 |
| Frame | 254JP | Enclosure | Drip Proof |
| Thermal Protection | No Protection | Efficiency | 93 & 92.4 % |
| Ambient Temperature | 40 °C | Frequency | 60 & 50 Hz |
| Current | 36.5/18.3 & 32/16 A | Power Factor | 81 |
| Duty | Continuous | Insulation Class | F |
| Design Code | B | KVA Code | G |
| Drive End Bearing Size | 6309 | Opp Drive End Bearing Size | 6208 |
| UL | Recognized | CSA | Y |
| CE | Y | IP Code | 22 |
| Number of Speeds | 1 | | |

Technical Specifications

| | | | |
|-----------------------|-------------------------------------|-----------------------|-------------------------|
| Electrical Type | Squirrel Cage Inverter Rated | Starting Method | Line Or Inverter |
| Poles | 4 | Rotation | Reversible |
| Resistance Main | .6729 Ohms | Mounting | Rigid Base |
| Motor Orientation | Horizontal | Drive End Bearing | Ball |
| Opp Drive End Bearing | Ball | Frame Material | Rolled Steel |
| Shaft Type | JP | Overall Length | 27.32 in |
| Frame Length | 10.62 in | Shaft Diameter | 1.375 in |
| Shaft Extension | 8.16 in | Assembly/Box Mounting | F1/F2 CAPABLE |
| Outline Drawing | SS620825-254T | Connection Drawing | EE7308K |

| DASH NO. | 4 | | | | 3 | | | | 2 | | | | 1 | |
|----------|-------|-------|------|------|-------|------|-------|-------|-------|-------|------|------|----------|-------|
| | B | C | D | E | 2E | 2F | 2FF | AG | AH | BV | EQ | ET | MOUNTING | FRAME |
| 100 | 11.93 | 27.18 | 6.25 | 5.00 | 10.00 | 8.25 | 10.00 | 19.06 | 8.122 | 13.82 | 2.38 | 5.87 | F1 OR F2 | 254JP |
| 200 | | 28.76 | | | | | | 20.63 | | 15.40 | | | | 256JP |




| | | |
|---|--------------------|-------------------------------|
| DRAWING REVISION C | REVISION BY RAM | REV DATE/© DATE 08/02/2022 |
| REQUEST NUMBER CR-0006810 | APPROVED BY SBD | DATE 08/02/2022 |
| REQUEST NUMBER DESCRIPTION VIEWS UPDATED AS PER 3D | | |
| <small>COPYRIGHT (PER REVISION DATE) REGAL BELOIT AMERICA, INC. ALL RIGHTS RESERVED. PROPRIETARY AND CONFIDENTIAL INFORMATION - THIS DOCUMENT IS THE PROPERTY OF REGAL BELOIT AMERICA, INC. ("OWNER") AND CONTAINS OWNER'S PROPRIETARY INFORMATION. ANY PERSON, CORPORATION OR OTHER FIRM RECEIVING IT IS DEEMED, BY RECEIVING IT, TO AGREE THAT IT, AND/OR ANY PART OF IT, SHALL NOT BE DISCLOSED TO ANY PERSON, CORPORATION OR OTHER ENTITY, DUPLICATED, AND/OR USED, EXCEPT AS EXPRESSLY APPROVED IN WRITING IN ADVANCE BY OWNER. THIS DOCUMENT SHALL BE RETURNED TO OWNER UPON REQUEST. IT MAY BE SUBJECT TO CERTAIN RESTRICTIONS UNDER APPLICABLE EXPORT CONTROL LAWS AND REGULATIONS.</small> | | |



PRIMARY DIMENSIONS ARE INCH
mm DIMENSIONS IN [BRACKETS]
ARE FOR REFERENCE ONLY

| | |
|------------------------|---|
| DRAWN BY ZXW | Regal Beloit America, Inc. |
| DATE 25/02/2016 | |
| APPROVED BY WY | DESCRIPTION OUTLINE 254/256JP FR NEMA ODP RS |
| DATE 25/02/2016 | MATERIAL |
| REFERENCE | PROCESS/FINISH |
| THIRD ANGLE PROJECTION | SIZE B |
| | DRAWING NUMBER SS620825 |
| | SHEET 1 OF 1 |

LOW VOLTAGE



HIGH VOLTAGE



VIEW OF TERMINAL END

| | | | | TOLERANCES UNLESS SPECIFIED | |  REGAL - BELOIT CORPORATION | DRAWN PGK 06-04-1997 | | | | | | |
|--|--|----------------|-----|-----------------------------|--------|--|---------------------------|--------------------|---------------|-------------|------|----|------|
| NO. | REVISION | BY & DATE | CHK | ANG | ± | | UNIT | CHK | ML 06-05-1997 | | | | |
| E | CORRECTED IEC MARKINGS ECD-0111208 | WGJ 01-23-2017 | EMH | DEC. | | INCHES | | | | | | | |
| D | RE-DRAWN WITH REGAL LOGO ECD-0110493 | WGJ 09-30-2016 | EMH | .X | ±.1 | | | APPD GK 06-15-1997 | | | | | |
| 8 | ADDED IEC DESIGNATIONS MU95020 | TJW 4/30/2010 | MJS | .XX | ±.02 | | TITLE | SCALE | | | | | |
| 7 | REVISED HIGH VOLTAGE L2 WAS L3 CN52600-354 | MRB 09-21-1998 | | .XXX | ±.005 | | CONNECTION DIAGRAM | REF | | | | | |
| 6 | REDRAWN ON CADD | PGK 06-05-1997 | | .XXXX | ±.0005 | | DELTA CON. - 3Ø - 9 LEADS | FMF | | | | | |
| | | | | | ±7'30" | | MAT'L. | PREV | | | | | |
| | | | | | | | FINISH | | | | | | |
| THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT | | | | | | | RFP | CAD FILE EE7308K | SIZE | DRAWING NO. | PAGE | OF | REV. |
| | | | | | | | DIST | | A | EE7308K | | | E |