PRODUCT INFORMATION PACKET




Model No: CPE16 Catalog No: CPE16

1.5 HP Close-Coupled Pump Motor, 3 phase, 3600 RPM, 208-230/460 V, 143JM Frame, TEFC

Close-Coupled Pump Motors







Product Information Packet: Model No: CPE16, Catalog No:CPE16 1.5 HP Close-Coupled Pump Motor, 3 phase, 3600 RPM, 208-230/460 V, 143JM Frame, TEFC




Nameplate Specifications


Output HP	1.5 Hp	Output KW	1.1 kW			
Frequency	60 Hz	Voltage	208-230/460 V			
Current	4.4-4.0/2.0 A	Speed	3485 rpm			
Service Factor	1.15	Phase	3			
Duty	Continuous	Insulation Class	F			
Frame	143JM	Enclosure	Totally Enclosed Fan Cooled			
Thermal Protection	None	Ambient Temperature	40 °C			
UL	Recognized	CSA	Υ			
CE	Υ	Number of Speeds	1			

Technical Specifications

Electrical Type	POLYPHASE	Starting Method	Across The Line
Poles	2	Rotation	Reversible
Mounting	Rigid Base	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Cast Iron
Shaft Type	Keyed	Overall Length	15.75 in
Frame Length	5.75 in	Shaft Diameter	1.156 in
Shaft Extension	4.26 in		
Outline Drawing	SS620615	Connection Drawing	A-EE7308

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:10/12/2021





143T	15.75	5.71	4
145T	16.75	6.69	5
FRAME	С	В	2F

				TOL UNLES:	ERANCES S SPECIFIED	١ ,					DRAWN WY 7-28-2012		2012
				DEC.	INCHES]	REGAL	REGAL-BELOIT CORPORATION			СНК		
				.x	±.1			A			APPD		
				.xx	±.03	TITLE		OUTLINE 45JM FR TEFC-CAST IRON			SCALE		
				.xxx	±.005		143/145JN				REF		
				.xxxx	±.0005	MAT*L.	FI				FMF HWADA		
NO.	REVISION	BY & DATE	СНК	ANG	±1/2?	FINISH	PREV						
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT		RFP CAD FILE SS620615		0615		E DRAWING NO.		1	REV.				
IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT — DO NOT SCALE THIS PRINT		DIST				7 B	SS	620615	5 I				

