## PRODUCT INFORMATION PACKET

Model No: CPO19 Catalog No: CPO19

Close-Coupled Pump Motor, 2 HP, 3 Ph, 60 Hz, 208-230/460 V, 3600 RPM, 145JP Frame, ODP







Product Information Packet: Model No: CPO19, Catalog No:CPO19 Close-Coupled Pump Motor, 2 HP, 3 Ph, 60 Hz, 208-230/460 V, 3600 RPM, 145JP Frame, ODP

## Nameplate Specifications


Output HP	2 Hp	Output KW	1.5 kW				
Frequency	60 Hz	Voltage	208-230/460 V				
Current	5.5-5/2.5 A	Speed	3480 rpm				
Service Factor	1.15	Phase	3				
Duty Continuous		Insulation Class	F	F			
Frame	145JP	Enclosure	Open Drip Proof				
Thermal Protection	No Protection	Ambient Temperature	40 °C				
UL	Recognized	CSA	Υ				
CE	Υ	Number of Speeds	1				


## **Technical Specifications**

Electrical Type	POLYPHASE	Starting Method	Across The Line	
Poles	2	Rotation	Reversible	
Mounting	Rigid Base	Drive End Bearing	Ball	
Opp Drive End Bearing	nd Bearing Ball		Rolled Steel	
Shaft Type	Keyed	Overall Length	17.90 in	
Frame Length	6.57 in	Shaft Diameter	1.000 in	
Shaft Extension	7.31 in			
Connection Drawing	A-EE7308	Outline Drawing	SS620614	

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:09/16/2022

SS620614





TYPE	2F	В	С
ODP 143JP	4.0	5.71	16.9
ODP 145JP	5.0	6.70	17.9

				TOI UNLES	ERANCES S SPECIFIED	1		REGAL-BELOIT CORPORATION		DRAWN WANG 7.	26.2012	
				DEC.	INCHES	1	REGAL			снк		
				.x	±.1		\				APPD	
				.xx	±.03	TITLE		OUTLINE			SCALE	
				.xxx	±.005	1	143/145JF	JP ODP-ROLLED STEEL			REF	
				.xxxx	±.0005	MAT'L.				FMF		
NO.	REVISION	BY & DATE	СНК	ANG	±1/2	FINISH					PREV	
IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED		RFP CAD FILE			SS62	20614	SIZE DRAWING NO			REV.		
		DIST				В	SS620614					

