PRODUCT INFORMATION PACKET



Model No: E378M2A Catalog No: E378M2A 15 HP Close-Coupled Pump Motor, 3 phase, 3600 RPM, 230/460 V, 215JP Frame, ODP Close-Coupled Pump Motors



Regal and Century are trademarks of Regal Rexnord Corporation or one of its affiliated companies. ©2021 Regal Rexnord Corporation, All Rights Reserved. MC017097E



Product Information Packet: Model No: E378M2A, Catalog No:E378M2A 15 HP Close-Coupled Pump Motor, 3 phase, 3600 RPM, 230/460 V, 215JP Frame, ODP




Nameplate Specifications

Output HP	15 Hp	Output KW	11.2 kW
Frequency	60 Hz	Voltage	230/460 V
Current	34/17 A	Speed	3525 rpm
Service Factor	1.15	Phase	3
Duty	Continuous	Insulation Class	F
Frame	215JP	Enclosure	Drip Proof
Thermal Protection	Νο	Ambient Temperature	40 °C
UL	Recognized	CSA	Y
Number of Speeds	1		

Technical Specifications

Electrical Type	Polyphase	Starting Method	Across The Line	
Poles	2	Rotation	Reversible	
Mounting	Rigid Base	Drive End Bearing	Ball	
Opp Drive End Bearing	Ball	Frame Material	Rolled Steel	
Shaft Type	JP	Overall Length	23.03 in	
Frame Length	11.15 in	Shaft Diameter	1.750 in	
Shaft Extension	8.12 in			
Connection Drawing	005010.01	Outline Drawing	ss86594	

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:10/12/2021



			DRAWN DA 03-26-1996			
			СНК М	L 04-01-	-1996	
				N 04-01-	-1996	
tle outline			SCALE	1=5		
210JP FRBB-TS-DR.PRC' FACE		REF				
AT'L.		FMF				
NISH			PREV			
AD FILE ss86594	SIZE	DRAWING NO	. PAGE	OF	REV.	
	A	SS86594 6				

Uncontrolled Copy

