PRODUCT INFORMATION PACKET



Model No: G131949.00 Catalog No: G131949.00 Obsolete, by 132449.00 -.5HP..3510RPM.184TC.TEFC.230/460V.3PH.60HZ.CONTINUOUS.40C.1.15SF.C FACE.C184T34WC8A



Regal and Leeson are trademarks of Regal Rexnord Corporation or one of its affiliated companies. \hat{A} ©2023 Regal Rexnord Corporation, All Rights Reserved. MC017097E

FregalRexnord

Product Information Packet: Model No: G131949.00, Catalog No:G131949.00 Obsolete, replaced by 132449.00 - .5HP..3510RPM.184TC.TEFC.230/460V.3PH.60HZ.CONTINUOUS.40C.1.15SF.C FACE.C184T34WC8A.....




Nameplate Specifications

3	Output HP	5 & 3 Hp
3.7 & 2.2 kW	Voltage	230/460 & 190/380 V
3510 & 2920 rpm	Service Factor	1.15 & 1.15
184TC	Enclosure	Totally Enclosed Fan Cooled
No Protection	Efficiency	87.5 %
40 °C	Frequency	60 & 50 Hz
12/6 & 8.6/4.3 A	Power Factor	89
Continuous	Insulation Class	F
В	KVA Code	J
6207	Opp Drive End Bearing Size	6207
Recognized	CSA	Y
Y	IP Code	56
1		
	3.7 & 2.2 kW 3510 & 2920 rpm 184TC No Protection 40 °C 12/6 & 8.6/4.3 A Continuous B 6207 Recognized	3.7 & 2.2 kWVoltage3510 & 2920 rpmService Factor184TCEnclosure184TCEfficiencyNo ProtectionEfficiency40 °CFrequency12/6 & 8.6/4.3 APower FactorContinuousInsulation ClassBKVA Code6207Opp Drive End Bearing SizeRecognizedCSA

Technical Specifications

Electrical Type	Squirrel Cage Inverter Rated	Starting Method	Line Or Inverter	
Poles	2	Rotation	Reversible	
Resistance Main	.5 Ohms	Mounting	Round	
Motor Orientation	Horizontal	Drive End Bearing	Ball	
Opp Drive End Bearing	Ball	Frame Material	Stainless Steel	
Shaft Type	т	Assembly/Box Mounting	F1 ONLY	
Inverter Load	VARIABLE 10:1			
Outline Drawing	035438-900	Connection Drawing	005010.01	

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:06/23/2023



3 of 4

Uncontrolled Copy

