
PRODUCT INFORMATION PACKET



Regal and Leeson are trademarks of Regal Rexnord Corporation or one of its affiliated companies. \hat{A} ©2023 Regal Rexnord Corporation, All Rights Reserved. MC017097E







Product Information Packet: Model No: G825128.00, Catalog No:G825128.00 Obsolete in the US, replaced by 825128.00 - .5HP..1800RPM.184TC.EPFC.230/460V.EPH.60HZ.CONT.40C.1.15SF.C-FACE......EXPLOSION-PROOF......



Nameplate Specifications


| Phase | 3 | Output HP | 5 & 3 Hp |
|------------------------|-----------------|----------------------------|---|
| Output KW | 3.7 & 2.2 kW | Voltage | 230/460 & 190/380 V |
| Speed | 1745 & 1465 rpm | Service Factor | 1.0 & 1.0 |
| Frame | 184TC | Enclosure | Explosion Proof Fan cooled |
| Thermal Protection | Thermostat | Efficiency | 87.5 & 88.5 % |
| Ambient Temperature | 40 °C | Frequency | 60 & 50 Hz |
| Current | 13/6.5 & 10/5 A | Power Factor | 83 |
| Duty | Continuous | Insulation Class | В |
| Design Code | В | KVA Code | J |
| Drive End Bearing Size | 207 | Opp Drive End Bearing Size | 206 |
| UL | No | CSA | N |
| CE | N | IP Code | 54 |
| Number of Speeds | 1 | Hazardous Location | EXP PROOF CL I GR C&D CL II GR F&G T3B |

Technical Specifications

| Electrical Type | Squirrel Cage Inverter Rated | Starting Method | Line Or Inverter | |
|-----------------------|------------------------------|-----------------------|------------------|--|
| Poles | 4 | Rotation | Reversible | |
| Resistance Main | 3.05 Ohms | Mounting | Round | |
| Motor Orientation | Horizontal | Drive End Bearing | Ball | |
| Opp Drive End Bearing | Ball | Frame Material | Cast Iron | |
| Shaft Type | т | Assembly/Box Mounting | F1 ONLY | |
| Inverter Load | CONSTANT 10:1 | | | |
| Outline Drawing | 035694LE-1000 | Connection Drawing | A-EE7308T-LE | |

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:06/23/2023


035694LE



| 1000 | 182/184 | 18.62 | 16.00 | 7.38 |
|------|---------|-------|-------|------|
| DASH | FRAME | С | AG | BV |
| | | | | |

LOCATIONS".

| | | | | | LERANCES SS SPECIFIED | | CTRIC MOTO | | DRAWN ST 5-26-2 | 2009 |
|---|--|-----------|------|-------|--------------------------|--------------------------------|------------|---------|-----------------|------|
| | | | | DEC | INCHES | | EARMOTORS | | снк VV 5-28-2 | 2007 |
| | | | | .х | ±.1 | | AND DRIVES | ii | APPR | |
| | | | | .xx | ±.03 | TITLE OUTLINE-EPFC ROUND FRAME | - C' FACE | | SCALE 7:16 | |
| | | | | .xxx | ±.005 | 180 FR CAST C'BOX | | | REF 035694 | |
| | | | | .xxxx | ±.0005 | MAT'L | | | FMF | |
| N | REVISION | BY & DATE | СНК | ANG | ±7'30" | FINISH | | | PREV | |
| | HIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE CONNECTION WITH OUR WORK, ALL RIGHTS OF DESIGN AND INVENTION A | | RFP | | | CAD FILE 035694LE | SIZE | DRAWING | S NO | REV |
| " | THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE 1 | | DIST | WA | - NLV | | В | 0 | 35694LE | |



| 00 | π | OD OF GO EOIO | | | | | |
|---|--|----------------|------|-------|--------|-------------------------------------|-------------------|
| 04 | ADDED COLORS TO "T & P" LEADS CN 40494 | MSG 08-08-2006 | ML | .X | ±.1 | AND DRIVES | APPD TB 05-08-200 |
| 03 | RE-ISSUE | NJS 04-21-2004 | JET | .xx | ±.02 | TITLE CONNECTION DIAGRAM | SCALE 1=1 |
| 02 | REDRAWN | TAT 04-20-2004 | ML | .xxx | ±.005 | 3 PHASE – DUAL VOLTAGE MOTOR | REF |
| 01 | NEW DRAWING CN 34708 | TJB 05-08-2002 | ML | .xxxx | ±.0005 | MAT'L. | FMF |
| NO. | REVISION | BY & DATE | снк | ANG | ±7'30" | FINISH | PREV |
| | THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT B | | RFP | | | CAD FILE EE7308T_LE SIZE DRAWING NO | |
| IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT | | | DIST | LB- | WP-LE | A EE7 | '308T-LE 05 |
| - | | | | | | | |