PRODUCT INFORMATION PACKET

Model No: LM16090 Catalog No: LM16090 OBSOLETE - REPLACED BY LM32685 - 50,3600,TEFC,326TS,3/60/230/460





Regal and Leeson are trademarks of Regal Rexnord Corporation or one of its affiliated companies. \hat{A} ©2023 Regal Rexnord Corporation, All Rights Reserved. MC017097E



Product Information Packet: Model No: LM16090, Catalog No:LM16090 OBSOLETE - REPLACED BY LM32685 - 50,3600, TEFC, 326TS, 3/60/230/460



Nameplate Specifications


Phase	3	Output HP	50 & 40 Hp
Output KW	37.3 & 29.8 kW	Voltage	230/460 & 190/380 V
Speed	3540 & 2940 rpm	Service Factor	1.25 & 1.15
Frame	326TS	Enclosure	Totally Enclosed Fan Cooled
Thermal Protection	No Protection	Efficiency	92.4 & 91.7 %
Ambient Temperature	40 °C	Frequency	60 & 50 Hz
Current	115/57.5 & 112/56 A	Power Factor	88.5
Duty	Continuous	Insulation Class	F
Design Code	В	KVA Code	G
Drive End Bearing Size	312	Opp Drive End Bearing Size	311
UL	Recognized	CSA	Y
CE	Y	IP Code	54
Number of Speeds	1		


Technical Specifications

Electrical Type	Squirrel Cage Induction Run	Starting Method	Wye Start Delta Run
Poles	2	Rotation	Reversible
Resistance Main	.162 Ohms	Mounting	Rigid Base
Motor Orientation	Horizontal	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Cast Iron
Shaft Type	TS	Assembly/Box Mounting	F1/F2 CAPABLE
Outline Drawing	B-SS311067LN-1625	Connection Drawing	A-EE7358-LN

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:06/22/2023

SS311067LN





9/4/2007 11:27:42 PM -

4 of 4