PRODUCT INFORMATION PACKET

Model No: LM24796 Catalog No: LM24796 2,1800,TEFC,182T,1/60/115/230





Regal and Leeson are trademarks of Regal Rexnord Corporation or one of its affiliated companies. ©2023 Regal Rexnord Corporation, All Rights Reserved. MC017097E




Nameplate Specifications

Phase	1	Output HP	2 Hp				
Output KW	1.5 kW	Voltage	115/208-230 V				
Speed	1740 rpm	Service Factor	1.15				
Frame	182T	Enclosure	Totally Enclosed Fan Cooled				
Thermal Protection	Manual	Efficiency	72 %				
Ambient Temperature	40 °C	Frequency	60 Hz				
Current	24.8/13.0-12.4 A	Power Factor	75				
Duty	Continuous	Insulation Class	F				
Design Code	L	KVA Code	К				
Drive End Bearing Size	206	Opp Drive End Bearing Size	205				
UL	Recognized (Not Protector)	CSA	Y				
CE	Υ	IP Code	43				
Number of Speeds	1						

Technical Specifications

Electrical Type	Capacitor Start Induction Run	Starting Method	Across The Line
Poles	4	Rotation	Selective Counterclockwise
Resistance Main	.22 Ohms	Mounting	Rigid Base
Motor Orientation	Horizontal	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Rolled Steel
Shaft Type	Т	Assembly/Box Mounting	F1 ONLY
Outline Drawing	OLLM24796	Connection Drawing	00506702LN

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created: 12/16/2023



											0050	67-02LN
	T SWITCH END.					LINE LEADS						
	$ \begin{array}{c} \hline \\ \hline $			$ \begin{array}{c} T1 \\ T2 \\ T2 \\ T3 \\ T4 \\ T4 \\ T4 \\ T4 \\ T1 \\ P1 \\ P2 \\ P2 \\ P2 \\ T2 \\ T3 \\ T4 \\ T4 \\ T4 \\ T4 \\ T1 \\ T2 \\ T3 \\ T4 \\ T4 \\ T4 \\ T4 \\ T4 \\ T1 \\ T2 \\ T3 \\ T4 \\ T4 \\ T4 \\ T4 \\ T4 \\ T1 \\ T2 \\ T3 \\ T4 \\ T4 \\ T4 \\ T4 \\ T4 \\ T1 \\ T2 \\ T3 \\ T4 \\ T4 \\ T4 \\ T4 \\ T4 \\ T4 \\ T1 \\ T2 \\ T3 \\ T4 \\ T1 \\ T2 \\ T3 \\ T4 \\ T1 \\ T1 \\ T2 \\ T3 \\ T4 \\ T4$								
				$ \begin{array}{c} $				$\begin{bmatrix} \\ S \\ T5 \\ \hline T5 \\ \hline T6 \\ \hline 11 \\ \hline 11 \\ \hline T5 \\ \hline$				
						— T8		ROTATION FACING LEAD END	L1	L2 T4	JOIN T2,T3	INSULATE SEPARATEL
						HIGH VOLT	C.C.W. C.W.	P1 P1	T5 T4	T8 T2,T3	P2 P2	
							LOW	C.C.W.	P1	T8 T2,T4 T5	T5 P2,T3 T8	
* THIS LEAD MA	Y BE WHITE						VOLT	C.W.	P1	T2,T4 T8	P2,T3	
				TOL UNLES DEC.	ERANCES S SPECIFIED INCHES			[[Ingo]n]		DRAWN CHK	RDW 6/19/03
			±.1			MOTORS	MOTORS			KJH 6/19/03		
		.x ±.1 APPD .xx ±.01 TITLE EXT. WIRING DIAGRAM SCALE				1=1						
				.xxx	±.005		TYPE	"C" W/ PR	OTECTOR	2	REF	
				.xxxx	±.0005	MAT'L.		DECAL - 00			FMF	139052
NO.	REVISION	BY & DATE	снк	ANG	±1/2	FINISH					PREV	
IN CONNECTION WITH	GN AND DETAIL IS OUR PROPERTY AND MUST NOT BE OUR WORK ALL RIGHTS OF DESIGN AND INVENTION A RONICALLY GENERATED DOCUMENT - DO NOT SCALE	RE RESERVED	RFP DIST	6	/19/03	CAD FILE	00506	6702LN	size A	E DRAWING	№. 067—	02LN RE