PRODUCT INFORMATION PACKET



Model No: LM33694 Catalog No: LM33694

..200HP..1800RPM.445TC.TEFC.460V.3PH.60HZ.Cont.40C.1.15SF.F2.....






Nameplate Specifications


Phase	3	Output HP	200 & 150 Hp			
Output KW	149.0 & 112.0 kW	Voltage	460 & 380 V			
Speed	1788 & 1488 rpm	Service Factor	1.15 & 1.0			
Frame	445TC	Enclosure	Totally Enclosed Fan Cooled			
Thermal Protection	No Protection	Efficiency	96.2 & 95 %			
Ambient Temperature	40 °C	Frequency	60 & 50 Hz			
Current	227 & 205 A	Power Factor	86			
Duty	Continuous	Insulation Class	F			
Design Code	В	KVA Code	G			
Drive End Bearing Size	6318	Opp Drive End Bearing Size	6315			
UL	Recognized	CSA	Υ			
CE	Υ	IP Code	43			
Number of Speeds	1					

Technical Specifications

Electrical Type Squirrel Cage Induction Run		Starting Method	Part Wdg Start & Wye Start Delta Run			
Poles	4	Rotation	Reversible			
Resistance Main	.0117 Ohms	Mounting	Rigid Base			
Motor Orientation	Horizontal	Drive End Bearing	Ball			
Opp Drive End Bearing	Ball	Frame Material	Rolled Steel			
Shaft Type	Т	Assembly/Box Mounting	F2 ONLY			
Outline Drawing	XK2F1SC1-1317	Connection Drawing	A-EE7300BH-LN			

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:06/22/2023





				TOL UNLES	ERANCES S SPECIFIED	I I I I I I I I I I I I I I I I I I I			DRAWN KL 04-23-2002			
				DEC.	INCHES				CHK DJK 04-24-2002			
				.x	±.1		Z Z			APPD EAB 04-24-2002		
				.xx	±.01	TITLE	CONNECTION DIAGRAM - E	XTEF	RNAL	SCALE	1=1	
2	ADDED IEC TERMINAL MARKINGS CN 41429	JJB 05/24/20	0171L	.xxx	±.005	12 LEAD — SINGLE VOLTAGE		Ξ	REF			
1	NEW DRAWING MU41562	KL 04-12-02		.xxxx	±.0005	5 MAT'L.			FMF			
NO.	D. REVISION BY & DATE		снк	ANG	±1/2°	FINISH				PREV		
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT — DO NOT SCALE THIS PRINT			RFP			CAD FILE	ee7300bh_ln	SIZE	DRAWING NO			REV.
			DIST	WA-	-SB			Α	EE730	00BH-	-LN	2