## PRODUCT INFORMATION PACKET



Model No: M208M2
Catalog No: M208M2
General Purpose Motor, 3/1.33 HP, 3 Ph, 60 Hz, 460 V, 1800 RPM, 184T Frame, DP



Regal and Century are trademarks of Regal Rexnord Corporation or one of its affiliated companies.

©2022 Regal Rexnord Corporation, All Rights Reserved. MC017097E






## Nameplate Specifications

Output HP	3/1.33 Hp	Output KW	2.2 kW		
Frequency	60 Hz	Voltage	460 V		
Current	4.3/2.5 A	Speed	1765/1175 rpm		
Service Factor	1.15	Phase	3		
Duty	Continuous	Insulation Class	F		
Frame	184T	Enclosure	Drip Proof		
Thermal Protection	No Protection	Ambient Temperature	40 °C		
UL	Recognized	CSA	Υ		
CE	Υ	Number of Speeds	2-1-VT		


## **Technical Specifications**


Electrical Type	Polyphase	Starting Method	Across The Line
Poles	4/6	Rotation	Reversible
Mounting	Rigid Base	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Rolled Steel
Shaft Type	Keyed	Overall Length	13.69 in
Frame Length	9.50 in	Shaft Diameter	1.125 in
Shaft Extension	2.81 in		
Outline Drawing	035539CY	Connection Drawing	005046.01CY

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:11/29/2022



VIEW FROM OUTSIDE OF MOTOR AT SWITCH END.





				TOLERANCES UNLESS OTHERWISE SPECIFIED  DECIMALS							
				.00	± .01	DRAWN	GR 08/06/12			VIRING DIAGRAM	
				.000	± .005	CH'K'D.	SR 08/06/12	TYPE	TYPE "T" W/O PROTECTOR		
				.0000	± .0005	APPR.		MAT'L.	DECAL	- 004040	
NO.	REVISION	BY	DATE	FRACTIONS	± 1/64	SCALE	1=1	2WD	2WDG./2 SPEED 1Y-1Y		
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED			ANGLES	± 1/2°	REF.	00504601	FINISH	SIZE   DRAWING NO.   A   005046-010			
			INCH/MM		FMF		A of A		005046-01CY		