Product Information Packet: Model No: QCA0554AF113GAA001, Catalog No:QCA0554AF113GAA001 TerraMAX® Cast Iron Motor, 75 HP, 3 Ph, 50 Hz, 380 V, 750 RPM, 315S Frame, TEFC

marathon[®]

Nameplate Specifications

| Output HP | 75 Hp | Output KW | 55.0 kW |
|--|-----------------------|---|--------------------------------------|
| Frequency | 50 Hz | Voltage | 380 V |
| Current | 120.8 A | Speed | 743 rpm |
| Service Factor | 1 | Phase | 3 |
| Efficiency | 93.7 % | Power Factor | 0.74 |
| Duty | S1 | Insulation Class | F |
| | | | |
| Frame | 315S | Enclosure | Totally Enclosed Fan Cooled |
| Frame Thermal Protection | 315S No Protection | Enclosure Ambient Temperature | Totally Enclosed Fan Cooled 40 °C |
| | | | |
| Thermal Protection | No Protection | Ambient Temperature | 40 °C |
| Thermal Protection Drive End Bearing Size | No Protection 6319 | Ambient Temperature Opp Drive End Bearing Size | 40 °C 6319 |

Technical Specifications

| Electrical Type | Squirrel Cage | Starting Method | Direct On Line |
|-----------------------|---------------|-----------------------|----------------|
| Poles | 8 | Rotation | Bi-Directional |
| Mounting | B3 | Motor Orientation | Horizontal |
| Drive End Bearing | C3 | Opp Drive End Bearing | С3 |
| Frame Material | Cast Iron | Shaft Type | Keyed |
| Overall Length | 1206 mm | Frame Length | 729 mm |
| Shaft Diameter | 80 mm | Shaft Extension | 170 mm |
| Assembly/Box Mounting | R Side | | |
| Connection Drawing | 8442000085 | Outline Drawing | 0231501362 |

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:12/01/2022