PRODUCT INFORMATION PACKET



Model No: TO116
Catalog No: TO116
3 HP General Purpose Motor, 3 phase, 1800 RPM, 575 V, 182T Frame, ODP
General Purpose Motors



Regal and Century are trademarks of Regal Rexnord Corporation or one of its affiliated companies.

©2021 Regal Rexnord Corporation, All Rights Reserved. MC017097E





Nameplate Specifications

Output HP	3 Hp	Output KW	2.2 kW	
Frequency	60 Hz	Voltage	575 V	
Current	3.05 A	Speed	1760 rpm	
Service Factor	1.15	Phase	3	
Duty	Continuous	Insulation Class	F	
Frame	182T	Enclosure	Drip Proof	
Thermal Protection	None	Ambient Temperature	40 °C	
UL	Recognized	CSA	Υ	
CE	Υ			

Technical Specifications

Electrical Type	POLYPHASE	Starting Method	Across The Line
Poles	4	Rotation	Reversible
Mounting	Rigid Base	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Rolled Steel
Shaft Type	Keyed	Overall Length	13.72 in
Frame Length	6.75 in	Shaft Diameter	1.125 in
Shaft Extension	2.75 in		
Connection Drawing	A-EE7300	Outline Drawing	SS620292

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:10/12/2021



