PRODUCT INFORMATION PACKET



Model No: TO189
Catalog No: TO189
150 HP General Purpose Motor, 3 phase, 1800 RPM, 460 V, 444T Frame, ODP
General Purpose Motors



Regal and Century are trademarks of Regal Rexnord Corporation or one of its affiliated companies.

©2021 Regal Rexnord Corporation, All Rights Reserved. MC017097E






Nameplate Specifications

Output HP	150 Hp	Output KW	111.9 kW	
Frequency	60 Hz	Voltage	460 V	
Current	168 A	Speed	1788 rpm	
Service Factor	1.15	Phase	3	
Duty	Continuous	Insulation Class	F	
Frame	444T	Enclosure	Drip Proof	
Thermal Protection	None	Ambient Temperature	40 °C	
UL	Recognized	CSA	Υ	
CE	Υ	Number of Speeds	1	


Technical Specifications

Electrical Type	POLYPHASE	Starting Method	Across The Line
Poles	4	Rotation	Reversible
Mounting	Rigid Base	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Cast Iron
Shaft Type	Keyed	Overall Length	44.57 in
Frame Length	25.98 in	Shaft Diameter	3.375 in
Shaft Extension	8.50 in		
Connection Drawing	A-EE7308AA	Outline Drawing	SS620255

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:10/12/2021



Uncontrolled Copy - T6 (W2) - T9 (W3) - T12 (W4) - T1 (U1) - T4 (U2) T7 (U3) T10 (U4) T2 (V1) T8 T5 Ti 111 T5 (V2) - T8 (V3) - T11 (V4) - T3 (W1) VIEW OF TERMINAL END DRAWN BY LZ REGAL Regal Beloit America, Inc. 01-12-1994 APPROVED BY DESCRIPTION GK CONN DIAGRAM-EXTERNAL DATE 3Ø-2/1 DELTA-12 LEADS 01-14-1994



PROJECTION

RESTRICTIONS UNDER APPLICABLE EXPORT CONTROL LAWS AND REGULATIONS

1 OF 1