PRODUCT INFORMATION PACKET



Model No: 3A249-13 Catalog No: 3A249-13 SPRING WASHER (315)



Product Information Packet: Model No: 3A249-13, Catalog No:3A249-13 SPRING WASHER (315)

ma	rati	าดท
		Motors

Nameplate Specifications

Technical Specifications

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:04/05/2025

				OF DESIGN	I AND INV	ENTION /	JBE BEGEDA	VFD							H A		3A249	- 1	3
110.	THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED								RFP			CAD FILE 3a249			SIZE	DRAWING I	NO. PAGE	OF	REV.
NO.		REV	SION				BY &	DATE	СНК	ANG	±7'30"	FINISH							
1								-16-2003	HNH	.xxxx	±.0005	MAT'L. SPRING STEEL					FMF		
2									ML	.xxx							REF		
3	ADD DATA FOR -13 WASHER CN32600					MLB 03/03/200		MAL	.xx	TITLE LOADING SPRING		G — BLYTHE		SCALE	1=1.125	;			
								.x	±.1		Tier			ologies oup	APPD HN	H 01-16-	-200:		
										DEC.	INCHES	REC	BAL-BEL	911T ((4/1 <u>//</u> /	ם וְנַם		I	L 01-16-	2003
										TOL	ERANCES S SPECIFIE	D					DRAWN CT	0 01-15-	2003
														RUST &	LIGH	TLY OILE	D		
														PARTS I	MUST	BE FREE	FROM		
														B = ID (F)	ORME	D)			
														A = OD (B = ID (F	FORM	ED) #/	· (NLI)		
										_				D = FLAT $R = SPRI$	TENEI	D DIA. (R ate #/ini	(RFF)		
														$H = FREE$ $H_1 = LOAD$) TES	T HEIGHT	_		
																BS ±10%			
							-				•						_		
																	СĴ		
														<u>'</u>					
																D-	-		
																	Ī		
														_					
															_			'1	
														-		A	- H -	·H	
3/	249-13	SMALLEY 5910-01	2	6.30	5.860	.031	_	6.2992	.25	50 .	90 90	160	(315)/8		-	B—			
	249-12	SMALLEY SSB-0551	2	5.51	5.046	.030	_	5.5118	.27	70 .	25 86	616	(313)/6						
3/	A249-11	SMALLEY SSB-0472	2	4.72	4.258	.030	_	4.7244	.28	30 .	25 74	490	(311)/5						
3/	249-10	SMALLEY SSB-0433	2	4.33	3.865	.030	_	4.3307	.21	0 .	09 68	656	(310)/5				/		
	A249-9	SMALLEY SSB-0335	2	3.34	2.880	.030	_	3.3465	+	_	09 5:	2 474		+-			}		
	A249-8	SMALLEY SSB-0591	2	5.90	5.440	.030	_	5.9055	_	_	25 9	497				/ /	\		
	A249-7	SSB-0748 SMALLEY SSB-0630	2	6.30	5.833	.030		6.2992	.37		25 99			/					
	A249-6	SSB-0205 SMALLEY	2	7.48	6.730	.032	_	7.4803	-	_	56 11					_			
	A249-5	SSB-0284 SMALLEY	2	2.05	1.747	.024	_	2.0472	+	_	09 7		4 5 4						
	A249-4	SSB-0315 SMALLEY	2	2.84	2.458	.030	_	2.8346	+	_	09 4								
	A249-Z	SSB-0394 SMALLEY	2	3.94	3.471 2.773	.030	 	3.1496			09 62		(//-						
	A249-1 A249-2	SSB-0512 SMALLEY	2	5.12	4.652	.030		5.1181 3.9370	.34	_	25 80								
		SMALLEY		- 10									", "						
BL)	THEVILLE TEM ID	WALLIS BARNS OR EQUIV.	FIG.	Α	В	С	D	BORE DIA.	Н	H	11 L	. R	BRG#/#OF WAVES				3A2	249	